THE

Artificial Clock-maker.

I. E. A. Weipert

TREATISE

OF

Watch and Clock-work,

Shewing to the meaneſt Capacities,

The ART of *Calculating Numbers* to all Sorts of MOVEMENTS; the Way to *Alter Clock-work*; to Make CHIMES, and Set them to Muſical Notes; and to Calculate and Correct the Motion of PENDULUMS.

ALSO

Numbers for divers MOVEMENTS:

With the Antient and Modern

Hiſtory of Clock-work;

And many *Inſtruments*, *Tables*, and other Matters, never before publiſhed in any other Book.

The FOURTH EDITION, with large EMENDATIONS.

By *W. D.* F. R. S.

Wm Derham

LONDON,

Printed for JAMES, JOHN and PAUL KNAPTON, at the Crown, in Ludgate Street. MDCCXXXIV.

F. W. Weipert



BODLEIAN
28 JAN. 1936
LIBRARY

RADCLIFFE
OBSERVATORY
OXFORD.

TO THE
READER,

Concerning the Third Edition.

Altho' this little Book was a Part of the Diverſion of my Juvenile Years, and drawn up when I was Young, and afterwards twice Publiſhed, yet having been for ſome time ſcarce, and much called for, I have reviewed it for a 3d Impreſſion. Neither do I think it unbecoming my Riper Years, or my Profeſſion to do ſo, by Reaſon it hath done ſome, not inconſiderable, Good in the World, not only among the Clock-Makers, *and their poor Apprentices, but alſo among many Gentlemen and others, that delight in Mechanical Studies and Exerciſes: To whom it hath been an Innocent and Vertuous Diverſion.*

Upon this Review (the laſt I ſhall ever make) I have thought it neceſſary to make many, and conſiderable Alterations: Of which I would have given a Liſt, in Juſtice to the Purchaſers of the former Editions (as I did in the ſecond Impreſſion) but that it is almoſt impoſſible. For all the

Supplement to the Second Edition, ſo far as I thought it might be of Uſe, is thrown into proper Places of the Book it ſelf, and ſo many things are expunged, ſo many added, and ſo many amended, that the Book is in a manner New. So that could I have given the particulars of the Alterations, yet no Purchaſer of the former Editions would think it worth his while to tranſcribe them, but rather buy the Book a new, ſince it is rendered, I hope, more compleat, and the Purchaſe is but ſmall.

THE

THE PREFACE.

THE following Book was at first drawn up in a rude Manner, only to please my Self, and divert the vacant Hours of a Solitary Country Life. But it is now published, purely in hopes of its doing some good in the World among such, whose Genius and Leisure lead them to Mechanical Studies, or those whose Business and Livelihood it is.

Many there are, whose Fault or Calamity it is, to have Time lying upon their Hands; and for want of innocent, do betake themselves to hurtful Pleasures. This is the too common Misfortune of some Gentlemen. Among some of the looser Sort of which, if this Book shall find Acceptance, it may be a Means to compose their rambling Spirits; and by an innocent Guile, initiate them in other Studies, of greater Use to themselves, their Family, and Country. However, it may hinder their Commission of many Sins, which are the Effects of Idleness.

If there be any one Perſon, in whom theſe good Effects are produced, I ſhall think my idle Hours well beſtowed, and bleſs God for it. However, upon the Account of the Innocence of my End in publiſhing this Book, and that it was written only as the harmleſs (I may add alſo the vertuous) Sport of leiſure Hours; I think my Self excuſable to God and the World, for the Expence of ſo much Time, on a Subject different from my Profeſſion.

But beſides, I think there are ſome little Obligations of Juſtice and Charity lying upon me to publiſh the enſuing Papers for the Sake of thoſe, whoſe Buſineſs the Mechanical Part is. I take it to be a Charity to the Trade; becauſe there are many (altho' Excellent in the Working-part) who are utterly unskilled in the Artificial-part of it. And then it is a Debt I pay: becauſe I owe ſomewhat of Health, as well as Diverſion to the Study, and Practice of this ſort of Mechanicks. And the beſt Requital I can make for my Treſpaſs, is to publiſh what I have had better Opportunities perhaps of Learning than many Workmen have.

And further yet; there is another Reaſon, which much prevailed with me to publiſh this Book, *viz.* Becauſe no Body, that I know of, hath prevented

vented me, by treating ſo plainly and intelligibly of this Subject, as to be underſtood by a Vulgar Workman. I have often wondered at it, that ſo uſeful and delightful a Part of Mechanical Mathematicks ſhould lie in any obſcurity, in an Age wherein ſuch noble Improvements have been made therein, and when many Books are daily publiſhed upon every Subject. I ſpeak here of this Art remaining in Obſcurity; not as if nothing was ever written of it, and I the Inventer of Automatical Computation.

But although I cannot aſſume the Glory of being the firſt Writer upon this Subject, yet very few have as yet done it; of which I ſhall next give ſome Account.

Cardan, *Kircher*, and *Scottus* promiſed it; but I do not find they ever publiſhed any thing to the Purpoſe of it. Our great Mr. *Oughtred* I take to be the firſt that ever wrote to any Purpoſe about the Calculation of *Automata*: And I believe he was the Firſt that brought that Art under Rules, in his little Treatiſe called *Automata*. Which was firſt ſurreptitiouſly publiſhed in *Engliſh* in a little Book called *Horolog. Dialogues*, in the Year 1675; and afterwards far more compleatly in *Latin*, at the Theatre in *Oxon*, among

Mr. *Oughtred's Opusc. Mathem.* in the Year 1677.

What Mr. *Oughtred* had wrapt up in his Algebraick obscure Characters, was afterwards put into plainer Language by that excellent Mathematician Sir *Jon. Moor*, with some Additions of his own; which you have in his *Math. Compend.* and since him, by Mr. *Leyborn*, in his *Pleasure with Profit.*

I hope I shall not be judged to have transgressed the Rules of Modesty, in coming after these Men; neither should I venture that Censure, but for two Reasons. One is, I find by Experience, that what they have written, is understood by very few Workmen, and therefore I have endeavoured, with all industry, to make the Matter as plain as I could for such. For which Reason, I hope the more learned Reader will excuse my using many Words, when fewer would have served his Turn; and that I have condescended to low Things, (and to him needless) as teaching the Golden-rule, *&c.* The other Reason is, That what those three have Written, relates only, or chiefly to the Watch-part. To which I have added several other Things of my own: particularly the Calculation of the Clock-part, *&c.* which I my Self have reduced to Rules. And to Name no more,

more, the Hiſtorical-part hath not been ſo much as attempted before, that I know of.

Theſe Reaſons will, I hope, excuſe me with the moſt cenſorious Reader, not only for preſuming to write after ſo accurate a Piece, as Mr. *Oughtred's* is; but alſo the Novelty of the Subject, will I hope procure for me a candid Interpretation of the Faults that I may have unwittingly committed.

To the preceeding Account of what Others have Written (which ſhews what help I have had from printed Books) I ſhall ſubjoyn my Acknowledgements, and Thanks to the Principal of my Friends, who have given me their Aſſiſtance in compiling ſome Parts of this Book. But their Names I ſhall not make more Publick than my own, being unwilling to be diſcovered my Self. In the Chap. of the Terms of Art, I owe much to the Aſſiſtance of Mr. *L. Br.*... a judicious Workman in *Fanchurch-ſtreet*, who drew me up a Scheme of the Clock-maker's Language. In the Hiſtory of the Modern Inventions, I have had (among ſome Others) the Aſſiſtance of the Ingenious Dr. *H.*..... and Mr. *T.*.... The former being the Author of ſome, and well acquainted with Others, of the Mechanical Inventions of that fertile

Reign

Reign of King *Charles* the IId; and the latter, actually concerned in all, or moſt of the late Inventions in Clock-work, by means of his famed Skill in that, and other Mechanical Operations.

There are ſome other Contrivances of this laſt Age (beſides thoſe I have mentioned) which I have paſſed over in Silence; becauſe either they are only Branches, or Improvements of the Inventions I have taken Notice of, (ſuch as ſeveral ways of Repeating-work, *&c.*) Or elſe, they only collaterally relate to Watch-work, as the Inventions of *Cutting-Engins* (which was Dr. *Hook's*) *Fuſy-Engines*, and others, which were never thought of till towards the End of K. *Charles* the IId's Reign. To treat of all theſe, would ſwell my Book far beyond its intended Bounds; which I have already ſomewhat exceeded. I ſhall therefore commit this Task to ſome better Pen, hoping that no Perſon will take it amiſs, that I have not mentioned his Inventions which I have been beholden to him for the Relation of.

For the Reaſons laſt mentioned, I have alſo left out of my Book, a Chapter of the Art of making, and uſing many Sorts of Sodders, the Way of colouring Metals, *&c.* uſeful in the Practice

Practice of Clock-work. This I had prepared for the sake of Mercurial Gentlemen, but omitted printing it, and some other things, out of Charity to poor Apprentices and other Workmen, whose Purses I am unwilling my Volume should too much exceed.

If I have at any Time invaded the Workman's Province, it was not because I pretend to teach him his Trade; but either for Gentlemen's sakes, or when the Matter led me necessarily to it.

I have nothing more to add, but that I would have this little Treatise looked upon only as an Essay, which I hope will prompt some more able Undertaker to perform the Task better, especially in the Historical Part. For since Watch-work oweth so much to our Age, and Country, it is pity that it should not be remembred: especially when we cannot but lament the great Defect of History, about the Beginning and Improvements of this ingenious and useful Art.

THE

THE

CONTENTS.

Chap. I. Of the Terms of Art, page 1
The more general Terms, p. 2. *Names belonging to the Watch-part*, 3. *Names of the Clock-part*, 5. *The Portraiture, and Description of a Clock*, 8
Chap. II. The Art of Calculation.
Sect. 1. Preliminary Rules, 9.
To find the Turns of a Wheel or Pinion, 10. *How to write down the Numbers of a Movement*, 11. *To find the Number of Turns of any one, or all the Wheels and Pinions*, 12. *To find the Beats of the Balance either in all the Time of the Watches going, or in any Turn of any Wheel*, 13. *Two Beats to every Tooth of the Crown-wheel*, 16
Sect. 2. To Calculate, and contrive the Numbers of Watch-work, 16.
Several ways of performing one and the same Motion, 17. *Of placing the Wheels*, ib. *To vary Numbers*, 18. *How to work the Golden Rule*, 19. *An useful Rule to vary inconvenient Numbers*, 20. *Rules of perpetual Use in proportioning the Parts of a Movement*, 21. *Examples of contriving a Piece of Watch-work*, 23. *How to lengthen*

lengthen easily the Continuance of a Movements going, 27. *How to contrive for Movements to shew Minutes and Seconds*, 32.

Sect. 3. Calculation of the Striking-Part, 34.

General Observations and Rules relating to the Wheel-work of a Clock, 34. *Rules of perpetual Use in proportioning the Parts of a Clock*, 36. *Examples of Calculating the Numbers of small Clocks*, 39. *Examples of Strikers of a longer Continuance*, 40. *An useful Rule to find the Number of Strokes in one Turn of the Fusy*, 43. *Examples of finding the Pinion of Report*, 44.

Sect. 4. Of Quarters and Chimes, 45.

Notes concerning the Quarters, 46. *Several ways of the Chime-Barrel*, 47 *How to divide and order the Chime-Barrel*, 48. *An Example in* Psal. c, 50. *An Example in a Song Tune, another Way*, 52

Sect. 5. To Calculate Numbers for the Celestial Motions, 53.

The Contrivance of Movements to shew only the Celestial Motions, 53. *How to add such Work to Watch-Work*, 55. *A Motion to shew the Day of the Month*, ib. *To shew the Moon's Age*. 56. *To shew the Day of the Year, the Sun's Place, his Rising, and Setting*, &c. 57.

&c. 57. *To shew the Tides*, 58. *To shew the Motion of the Planets*, &c. 59. *Examples in Sir* Jonas Moor's *Sphere*, 60. *Other curious Pieces*, 61

Chap. III. To alter Clock-work, or how to convert one Movement into another, 61.

An Example of converting an old Balance-Clock to a Pendulum, 62. *To make it go* 30 *Hours*, 64. *To make it shew Minutes*, 65. *To alter the Striking-Part*, 67

Chap. IV. To size Wheels and Pinions, 68.

To do it Arithmetically, 68. *Mechanically*, 69

Chap. V. Of Pendulums, 70.

The Cause of their Variations, 70. *An Experiment of the Author*, 71. *Other Causes of the Variations of Pendular Motions*, 72. *Remedies for those Variations*, ib. *The true length of a Pendulum that vibrateth Seconds*, 74. *To find the Center of Oscillation*, 75. *To calculate the Length of all Pendulums*, ib. *A Table of the Lengths and Vibrations of Pendulums*, 78. *The ways of correcting Pendular Motions*, 79. *The Author's Contrivance for it*, 81. *A Table shewing what Alterations are made by screwing up, or letting down the Ball*, 82

Chap.

Chap. VI. The Antiquity, and Hiſtory of Clock-work, 82.

The Dial of Ahaz, 83. *The ancient* Grecian *and* Roman *Chronometers*, ib. *Horological Movements mentioned by antient Authors*, 84. *Clock-work, no new* German *Invention*, 86. *The Sphere of* Archimedes, 87. *Of* Poſidonius, 90. *The Revival or Beginning of our preſent Clocks*, 91. *Movements that perform ſtrange Feats*, 92

Chap. VII. The Invention of Pendulum Clocks, 93.

Of the Uſe of Pendulums by Tycho Brahe, *and* Riccioli, 93. *Mr.* Huygens's *Invention*, 94. *Others Claims*, ib. *Beginning of Pendulum Clocks in* England, 96. *The Contriver of their carrying an heavy Ball, and ſhort Vibrations*, ib. *The Circular Pendulum*, 97

Chap. VIII. The Invention of Pocket Pendulum Watches, 99.

The Inventer, 99. *Several ways of them* 100. *The time when Invented*, 102. *Mr.* Huygens's *Watch*, 104. *The Controverſie between him and Dr.* Hook, 105

Chap. IX. The Invention of Repeating Clocks, 106.

The Inventer, 106. *Cauſe of the Variety of them*, ib. *When and by whom firſt uſed in Pocket-Watches*, 107

Chap. X. Numbers for various Movements, 108.

The

The ways of writing down the Numbers, 109. *Numbers for an 8 day Piece*, 110. *For a Month Piece*, 111. *For a Two Month-Piece*, 112. *For a Quarter of an Year*, 113. *For half a Year*, 114. *For a Year*, ib. *For lesser Pieces of 30 Hours*, ib. *Of a Week*, 115. *Of a Month*, ib. *Of a Year*, ib. *Numbers representing the Motion of* Saturn, 116. *Of* Jupiter, 117. *Mr.* Romer's *Satellite Instrument*, ib. *Numbers for* Mars, Venus, Mercury, *the Dragon's Head and Tail*, 120. *The* Hampton-Court-Clock, 121. *Numbers for Pocket-watches of 8 Days*, 122. *Of 32 Hours*, 123. *How to amend the Numbers*, 124

Chap. XI. Of the Government of Chronometers, with Tables for Clock-work, 125.

The Equation of Natural Days, 125. *The Tables of Equation*, 126. *The way to find the Hour of the Day exactly*, 128. *To find a Meridian-line*, ib. *To find when the Pole-star comes on the Meridian*, 129. *An Instrument to see the Sun, Moon, or Stars transit the Meridian*, 131. *The manifold uses of it*. 133. *How to govern Clocks by the fixed Stars*. 134. *Mr.* la Hire's *Table of the different Length of the Sydereal and Solar Day*, 135. *Of the Time by Sun-Dials*, 136. *A Table of the Variations caused by Refraction*, 137. *A Table of the Parts of Time*, 169

THE

Artificial Clock-Maker.

CHAP. I.

Of the Terms of Art, or Names by which the Parts of an Automaton *are called.*

IT is neceſſary that I ſhould ſhew the meaning of the Terms which Clock-makers uſe, that Gentlemen and others, unskilful in the Art, may know how to expreſs themſelves properly, in ſpeaking; and alſo underſtand what I ſhall ſay in the following Book.

I ſhall not trouble the Reader with a recital of every Name that doth occur, but only ſuch as I ſhall have occaſion to uſe in the following Diſcourſe, and ſome few others that offer themſelves,

upon a tranſient View of a Piece of Work.

I begin with the more general Terms: As, the *Frame*; which is that which contains the Wheels, and the reſt of the Work. The *Pillars* and *Plates*, are what it chiefly conſiſts of.

Next for the *Main-Spring*, and its Appurtenances. That which the Spring lies in, is the *Spring-Box*: that which the Spring laps about, in the Middle of the Spring Box, is the *Spring-Arbour*; to which the Spring is hooked at one end. At the Top of the Spring-Arbour, is the *Endleſs-Screw*, and its Wheel; but in Spring-Clocks it is a *Ratchet-wheel* with its *Click* (that ſtops it.)

That which the main Spring draweth, and about which the Chain or String is wrapp'd, and which is commonly taper, is the *Fuſy*. In larger work, going with Weights, where it is cylindrical, it is called the *Barrel*: The ſmall Teeth at the Bottom of the Fuſy, or Barrel, that ſtop it in winding up, is the *Ratchet*. That which ſtops it when wound up, and is for that end driven up by the String, is the *Garde-gut*.

The Parts of a *Wheel* are, the *Hoop*, or *Rim*; the *Teeth*; the *Croſs*; and the *Collet*, or piece of Braſs, ſoddered on the Arbour, or Spindle, on which the Wheel is rivetted.

A *Pinion* is that little Wheel, which plays in the Teeth of the Wheel. Its Teeth (which are commonly 4, 5, 6, 8, &c.) are called *Leves*, not Teeth.

The Ends of the Spindle, are called *Pivots*: the Holes in which they run, *Pivot-holes*.

The guttered Wheel, with Iron Spikes at the bottom, in which the Line of ordinary Houſe-Clocks doth run, is called the *Pully*.

I need not ſpeak of the *Dial-Plate*, the *Hand*, *Screws*, *Wedges*, *Stops*, &c.

Thus much for general Names, which are common to all Parts of a Movement.

The moſt uſual Movements are *Watches* and *Clocks*. *Watches* ſtrictly taken, are all ſuch Movements as ſhew the Parts of Time: and *Clocks* are ſuch as publiſh it, by ſtriking on a Bell, &c. But commonly the Name of *Watches* is appropriated to ſuch as are carried in the Pocket; and that of Clocks to the larger Movements, whether they ſtrike the Hour or no. As for Watches which ſtrike the Hour, they are called *Pocket-Clocks*.

The Parts of a *Movement*, which I ſhall conſider, are the *Watch*, and *Clock-Parts*.

The *Watch-part* of a Movement is that which ſerveth to the meaſuring the

Hours. In which the firſt thing I ſhall conſider is the *Balance*; whoſe parts are, the *Rim*, which is the circular part of it; the *Verge*, is its Spindle; to which belong the two *Pallets*, or *Leves* which play in the Teeth of the Crown-Wheel; in Pocket Watches, that ſtrong Stud in which the lower Pivot of the Verge plays, and in the middle of which one Pivot of the Balance-Wheel plays, is called the *Pottance* vulgarly, I ſuppoſe for *Potence* (it being ſtrong) or *Portance*, as Dr. *Hook* calls it in his *Helioſcop.* p. 10. The bottom of this is called the *Foot*; the middle part (in which the Pivot of the Balance-wheel turns) is called the Noſe; the upper-part, the *Shoulder* of the Portance. The piece which covers the Balance, and in which the upper Pivot of the Balance plays, is the *Cock*. The ſmall Spring in the new Pocket-Watches underneath the Balance, is the *Regulator* or *Pendulum-Spring*.

The parts of a *Pendulum* are, the *Verge*, *Pallets*, and *Cocks*, as before. The *Ball* in long Pendulums, the *Bob* in ſhort ones, is the Weight at the bottom. The *Rod*, or *Wire*, is plain. The terms peculiar to the *Royal Swing*, are the *Pads*, which are the Pallets in others, and are fixed on the *Arbor*. The *Fork* is alſo fixed to the *Arbor*, and

about 6 Inches below, catcheth hold on the Rod, at a flat piece of Brass, called the *Flatt*, in which the lower end of the *Spring* is fastened.

The Names of the Wheels next follow. The *Crown-Wheel* in small pieces, and *Swing-Wheel* in Royal Pendulums, is that Wheel which drives the Balance, or Pendulum.

The *Contrate-Wheel*, is that Wheel in Pocket-Watches, and others, which is next to the Crown-Wheel, whose Teeth and Hoop lie contrary to those of other Wheels; whence it hath its Name.

The *Great-Wheel*, or *First-Wheel*, is that which the Fusy, *&c.* immediately driveth. Next it, are the *Second-Wheel*, *Third-Wheel*, &c.

Next followeth the Work between the Frame and Dial-Plate. And first, is the *Pinion of Report*; which is that Pinion, which is commonly fixed on the Arbor of the Great-Wheel, and in old Watches used to have commonly but four Leaves; which driveth the *Dial-Wheel*, and this carrieth about the *Hand*.

The last part which I shall speak of is the *Clock*, which is that part which serveth to strike the Hours: In which I shall

First speak of the *Great*, or *First-*

Wheel; which is that which the Weight or Spring first drives. In 16 or 30 Hour Clocks, this is commonly the *Pin-Wheel*; in 8 Day Pieces, the *Second Wheel* is commonly the *Pin-Wheel*. This Wheel thus with Pins is called the *Striking-Wheel*, or *Pin-Wheel*.

Next to this Striking-Wheel, followeth the *Detent-Wheel*, or *Hoop-Wheel*, it having a Hoop almost round it, in which is a Vacancy, at which the Clock locks.

The next is the *Third* or *Fourth-Wheel* (according as it is distant from the first-Wheel) called also the *Warning-Wheel*.

And lastly is the *Flying-Pinion*, with a *Fly* or *Fan* to gather Air, and so bridle the Rapidity of the Clock's Motion.

Besides these, there are the *Pinion* of *Report*, of which before, which driveth round the *Locking-Wheel*, called also the *Count-Wheel*, with 11 Notches in it commonly, unequally distant from one another, to make the Clock strike the Hours of 1, 2, 3, *&c.*

Thus much for the Wheels of the Clock-part.

Besides which there are the *Rash*, or *Ratch*; which is that sort of Wheel, of twelve large Fangs, that runneth concentrical to the Dial-Wheel, and serveth to lift up the Detents every Hour, and make the Clock strike. The

The *Detents* are thoſe Stops, which by being lifted up, or let fall down, do lock and unlock the Clock in ſtriking.

The *Hammers* ſtrike the Bell: The *Hammer-tails* are what the Striking-pins draw back the Hammers by.

Latches are what lift up, and unlock the Work.

Catches are what hold by hooking, or catching hold of.

The *Lifting-pieces* do lift up, and unlock the Detents, in the Clock part.

The *Train* is the Number of Beats or Vibrations which the Watch maketh in an Hour, or any other certain time.

There are beſides theſe divers other Terms which the Clockmakers uſe in various Sorts of Pieces, as the *Snail*, or *Step-Wheel* in Repeating Clocks, the *Rack*, the *Safeguards*, the ſeveral *Levers*, *Lifters*, and *Detents:* But it would be tedious, and it is needleſs to mention the particulars.

For the better underſtanding theſe Terms of Art, and the Parts of a Clock, I have in *Fig.* 1. repreſented them to the Eye. In which, two diſtinct Parts may be obſerved, the *Watch*, and the *Clock-part*.

The Wheels, *&c.* on the right hand, is the *Watch-part*. They on the left, the *Clock-part*.

A. A. A. A. The upper *Plate* of the *Frame*; which you may imagine to be tranſparent (as of a Glaſs) to admit of a Proſpect of the Wheel-work underneath it.

B. B. B. The lower *Plate* of the *Frame*.

C. C. C. C. The *Pillars*.

D. D. The *Spring-Boxes* of the Watch, and Clock-part.

E. E. The *Great-Wheel* of each part.

F. F. The *Fuſy* of each part, about which the Chain, or String is wrapped.

g. g. g. g. g. g. g. The *Ratchet* of each part.

a. a. a. The *Hoop*, or *Rim* of the *Second-wheel*.

b. b. The *Croſs* thereof.

c. The *Pinion*.

H. The *Contrate-Wheel*.

I. The *Crown-Wheel*.

d. d. The upper and lower *Pevet* thereof.

K. A piece of Braſs, in which the *Pevet-hole* is, in which the *Pevet* d. playeth.

L. The *Pin-wheel*, with the *Striking-Pins* e. e. e. e. e.

M. The *Detent-wheel*.

N. The *Warning wheel*, or fourth Wheel.

O. The *Detent*.

P. The *Lifting-piece*.

Q. Q. The *Fan*, and *Flying-Pinion*.
R. The *Bell*.
S. The *Hammer*.
T. The *Hammer-tails*.
V. V. The Chain, or String of the Watch and Clock.
x. The *Verge* or *Spindle* of the Balance, or Pendulum.
y. y. y. The *Rod* of the Pendulum.
z. The *Fork*.
2. The *Flatt*.
3. The *Great Ball*.
4. The *Corrector*, or *Regulator*; being a Contrivance of my own, of very great uſe to bring the Pendulum to its nice *Vibrations*.
5. 5. The *Pallets*.

CHAP. II.

The Art of Calculation.

SECT. I.

General preliminary Rules and Directions for Caculation.

§ 1. FOR the more clear underſtanding this Chapter it muſt be obſerved, that thoſe *Automata* (whoſe

Calculation I chiefly intend) do by little Interſtices, or Strokes, meaſure out longer Portions of Time. Thus the Strokes of the Balance of a Watch, do meaſure out Minutes, Hours, Days, *&c.*

Now to ſcatter thoſe Strokes amongſt *Wheels* and *Pinions*, and to *proportionate* them, ſo as to meaſure time regularly, is the Deſign of Calculation. For the clearer Diſcovery of which, it will be neceſſary to proceed leiſurely, and gradually.

Oughtred of Autom.

§ 2. And in the firſt place, you are to know, that any Wheel being divided by its Pinion, ſhews how many *Turns* that Pinion hath to one Turn of that Wheel. Thus a Wheel of 60 Teeth driving a Pinion of 6, will turn round the Pinion 10 times in going round once, 6)60(10.

From the Fuſy to the Balance the Wheels drive the Pinions; and conſequently the Pinions run faſter, or go more turns, than the Wheels they run in. But it is contrary, from the Great-wheel to the Dial-Wheel. Thus in the laſt example, the Wheel drives round the Pinion 10 times; but if the Pinion drave the Wheel, it muſt turn 10 times to drive the Wheel round once.

§ 3. Before I proceed further, I muſt ſhew how to write down the Wheels and Pinions. Which may be done

done either as Vulgar Fractions, or in the way of Division in Vulgar Arithmetick. For Ex. A Wheel of 60 moving a Pinion of 5, may be set down thus, $\frac{60}{5}$: or rather thus 5)60: where the uppermost Figure 60, or Numerator is the Wheel, the lowermost or Denominator, is the Pinion: or, in the latter example, the first Figure is the Pinion, the next without the Hook, is the Wheel.

The Number of Turns, which the Pinion hath in one Turn of the Wheel, is set without a hook on the right hand: as 5)60(12; *i. e.* a Pinion 5 playing in a Wheel of 60, moveth round 12 times in one Turn of the Wheel.

4)36(9
5)55(11
5)45(9
5)40(8
17

A whole Movement may be noted thus, $\frac{36}{4}\ \frac{55}{5}\ \frac{45}{5}\ \frac{40}{8}$ 17 Notches in the Crown-Wheel. Or rather (because it will be easiest to mean Capacities) as you see here in the Margin: where the uppermost number above the line, is the Pinion of Report 4, the Dial-Wheel 36, and 9 turns of the Pin. of Report. The second Number (under the line) is 5 the Pinion, 55 is the Great-Wheel, and 11 turns of the Pinion it driveth. The third Numbers, are the Second-Wheel, *&c.* The fourth the Contrate-wheel, *&c.*

And

And the ſingle Number 17 under all, is the Number of the Crown-wheel.

§ 4. By the § 2 before, knowing the number of Turns, which any Pinion hath in one turn of the Wheel it worketh in, you may alſo find out how many Turns a Wheel or a Pinion hath, at a greater diſtance; as the Contrate-wheel, Crown-wheel, or *&c.* For it is but multiplying together the *Quotients*, and the Number produced is the Number of Turns. An Example will make what I ſay plain: let us chuſe theſe 3 numbers here ſet down; the firſt of which hath 11 Turns, the next 9, and the laſt 8. If you multiply 11 and 9, it produceth 99, for 9 times 11 is 99, that is in one Turn of the Wheel 55, there are 99 Turns of the ſecond Pinion 5, or the Wheel 40, which runs concentrical, or on the ſame Arbour with the ſecond Pinion 5. For as there are 11 Turns of the firſt Pinion 5, in one Turn of the Great-Wheel 55, or (which is the ſame) of the Second-Wheel 45, which is on the ſame Spindle with that Pinion 5; ſo there are 9 times 11 turns in the ſecond Pinion 5, or Wheel 40 in one Turn of the Great-Wheel 55. If you

5)55(11
5)45(9
5)40(8

By the Quotients I commonly mean the number of Turns; which Number is ſet on the right hand, without the Hook, as is ſhewn in the laſt Paragraph: Which I note here now once for all.

you multiply 99 by the laſt Quotient 8 (that is, 8 times 99 is 792) it ſhews the number of Turns, which the third and laſt Pinion 5 hath. So that this third and laſt Pinion turns 792 times in one Turn of the firſt Wheel 55. Another Example will make it ſtill more plain. The example is in the Margin. The Turns are 10, 9, and 8. Theſe multiplied as before run thus, *viz.* 10 times 9 is 90, that is the Pinion 6 (which is the Pinion of the third Wheel 40, and runs in the ſecond Wheel 54) turns 90 times in one Turn of the firſt Wheel 80. This laſt product 90 being multiplied by 8, produces 720; that is, the Pin. 5 (which is the Pin. of the Crown-wheel 15) turns 720 times in one Turn of the firſt Wheel, of 80 teeth.

8)80(10
6)54(9
5)40(8
15

§ 5. We may now proceed to that, which is the very Ground-work of all; which is, not only to find out the Turns, but the Beats alſo of the Balance in thoſe Turns of the Wheels. By the laſt paragraph, having found out the number of Turns, which the Crown-wheel hath in one Turn of the Wheel you ſeek for, you muſt then multiply thoſe Turns of the Crown-wheel by its number of Notches, and this will give you half the number of Beats, in that

that one Turn of the wheel. Half the Number, I ſay, for the reaſons in the following 6 §. For the Explication of what hath been ſaid, we will take the example in the laſt §: the Crown-wheel there, has (as hath been ſaid) 720 Turns to one Turn of the firſt Wheel: This Number multiplied by 15 (the Notches in the Crown-Wheel,) produceth 10800, which are half the number of Strokes of the Balance, in one Turn of the firſt wheel 80. The like may be done for any of the other Wheels; as the Wheel 54, or 40: but I ſhall not inſiſt upon theſe, having ſaid enough.

I ſhall give but one Example more, which will fully, and very plainly illuſtrate the whole matter.

4)32(8
5)55(11
5)45(9
5)40(8
17

The example is in the Margin, and 'tis of the old 16 hour Watches, wherein the Pinion of Report is 4, the Dial-wheel 32, the Great-wheel is 55, the Pinion of the ſecond Wheel is 5, *&c.* the Number of Notches in the Crown-wheel are 17: the quotients, or Number of Turns in each, are 8, 11, 9, 8. All which being multiplied as before, make 6336: this Number multiplied by 17, produceth 107712; which laſt ſum is half the number of Beats in

in one Turn of the Dial-wheel. The half Number of Beats in one Turn of the Great-wheel, you will find to be 13464: For 8 times 17 is 136, which is the half Number of Beats in one Turn of the Contrate-wheel 40: and 9 times 136, is 1224, the half Beats in one Turn of the Second-wheel: and 11 times 1224, is 13464, the half Beats in one Turn of the Great-wheel 55. And 8 times this last, is 107712 before named. If you multiply this by the two Pallets, that is, double it, it is 215424, which is the Number of Beats in one Turn of the Dial-wheel, or 12 hours. If you would know how many Beats this Watch hath in an hour, 'tis but dividing the Beats in 12 hours, into 12 parts, and it gives 17952, which is called the Train of the Watch, or Beats in an hour. If you divide this into 60 parts, it gives 299 and a little more, for the Beats in a minute. And so you may go on to seconds and thirds if you please.

Thus I have delivered my Thoughts as plainly as I can, that I may be well understood; this being the very foundation of all the artificial part of Clock-work. And therefore let the young Practitioner exercise himself thoroughly in it, in more than one example.

If I have offended the more learned, quick-sighted Reader, by using many words;

words; my desire to instruct the most ignorant Artist, must plead my excuse.

Sir *J. Moor's* Math. Comp. 116.

§ 6. The Balance or Swing hath two strokes to every Tooth of the Crown-wheel. For each of the two Pallets hath its blow against each tooth of the Crown-wheel: wherefore a Pendulum that swings Seconds, hath its Crown-wheel only 30 teeth.

SECT. II.

The way to Calculate, or contrive the Numbers of a piece of Watch-work.

HAving in the last Section led on the Reader to a general knowledge of Calculation; I may now venture him further into the more obscure and useful parts of that Art: which I shall explain with all possible plainness, though less brevity than I could wish.

§ 1. Two Wheels and Pinions of different numbers may perform the same motion. As, a Wheel of 36 drives a Pinion of 4, all one as a Wheel of 45 drives a Pin. of 5; or as a Wheel of 90 drives a Pin. of 10. The turns of each are 9. Therefore

§ 2. In contriving a piece of work, you may make use of one Wheel and one

one Pinion or many Wheels and many Pinions, provided that the many Wheels and many Pinions have the ſame proportion that the one Wheel and one Pinion have. An example or two of which will make the matter plain. Suppoſe inſtead of a Wheel of 1440 Teeth (too large a Number for one Wheel) and a Pinion of 28 Leaves, you had rather make uſe of 3 wheels and Pinions: you may make uſe of 3 wheels of 36, 8, and 5, and three Pinions of 4, 7 and 1; which being multiplied together, continually make the two Sums, *viz.* 36 times 8 is 288, and 5 times that, is 1440. And 4, 7 and 1 ſo multiplyed, makes 28, the very Sums of the one Wheel, and one Pinion.

Or you may by § 1. make uſe of different Numbers, which will perform the ſame motion, although they reach not the ſame Numbers. As in the wheel 1440 and Pinion 28, there are 51 $\frac{1}{7}$ Turns. Now any Number of wheels and Pinions that will effect the ſame Number 51 $\frac{1}{7}$ Turns, will perform the ſame Motion as that one Wheel and one Pinion. Future examples will make all plain.

§ 3. In placing the Wheels and Pinions it matters not in what Order they are ſet; nor indeed which Pinion runs in

in which Wheel. Only for beauty and convenience, they place them orderly according to their different Sizes and Numbers.

§ 4. If in breaking your Train into parcels (of which by and by) any of your Quotients ſhould not pleaſe you; or if you would alter any other two Numbers which are to be multiplied together, you may vary them by this Rule: Divide your two Numbers by any two other numbers which will meaſure them; and then multiply the Quotients by the alternate Diviſors, the Product of theſe two laſt Numbers found, ſhall be equal to the Product of the two Numbers firſt given. Thus if you would vary 36 times 8, divide theſe by any two numbers that will evenly meaſure them, as 36 by 4, and 8 by 1. The fourth part of 36 is 9, and 8 divided by 1 gives 8. Multiply 9 by 1. the product is 9; and 8 multiplyed by 4 produceth 32. So that for 36 times 8 you ſhall have found 32 times 9. The operation is in the Margin, that you may ſee, and apprehend it the better. Theſe Numbers are equal, *viz.* 36 times 8 is equal to 32 times 9; both producing 288. If you divide 36 by 6, and 8 by 2, and multiply as before is ſaid, you will have for

Oughtred Au·om. § 23.

9	8
36 × 8	
4	1
32 × 9	

36

36 times 8, 24 times 12, equal to 288 alſo.

If this Rule ſeem to the unskilful Reader hard to be underſtood, let him not be diſcouraged, becauſe he may do without it, although it may be of good uſe to him that would be a more compleat Artiſt.

§ 5. Becauſe in the following Paragraphs, I ſhall have frequent occaſion to uſe the Rule of Three, or Rule of Proportion, it will be neceſſary to ſhew the unskilful Reader how to work this noble Rule.

If you find 3 or 4 Numbers thus ſet, with 4 ſpots after the ſecond of them, 'tis the Rule of Proportion; as in this example, 2 . 4 : : 3 . 6 *i. e.* As 2 is to 4 : : So is 3 to 6.

The way to work this Rule, *viz.* by the 3 firſt numbers to find a fourth, is, to multiply the ſecond number and the third together, and divide their product by the firſt. Thus 4 times 3 is 12, which 12 divided by 2, gives 6; which is the Number ſought for, and ſtands in the fourth place

You will find the great uſe of this Rule hereafter; only take care to bear it in mind all along. But if there ſhould be occaſion for any further Inſtructions in this *Rule of Three*, I refer the Reader to the Arithmeticians.

§ 6.

§ 6. To proceed. If in seeking for your Pinion of Report, or by any other means, you happen to have a Wheel and Pinion fall out with croſs Numbers, too big to be cut in Wheels, and yet not to be altered by the former Rules, you may find out two Numbers of the ſame, or a near Proportion, by this following Rule, *viz.* As either of the 2 numbers given, is to the other : : So is 360 to a fourth: Divide that fourth number, as alſo 360 by any Aliquot parts, as 4. 5. 6. 8. 9. 10. 12. 15. (each of which Numbers doth exactly meaſure 360) or by any one of thoſe numbers that bringeth a quotient neareſt to an integer (or whole Number.) Thus if you had theſe two Numbers, 147 the Wheel, and 170 the Pinion, which are too great to be cut in ſmall Wheels, and yet can't be reduced into leſs, becauſe they have no other common meaſure, but unity: ſay therefore according to the laſt paragraph, As 170 is to 147; or as 147 is to 170: : So is 360 to a fourth Number ſought. In numbers thus, 170. 147 : : 360. 311. or 147. 170 : : 360. 416. Divide the fourth number and 360 by one of the foregoing numbers; as 311 and 360 by 6, it gives 52 and 60. In numbers 'tis thus.

Id. Ib. Sect. 24.

See §. 4.

6)311(52
360(60

Divide by 8 'tis thus, 8)311(39
360(45

If

If you divide 360 and 416 by 8, it will fall out exactly to be 45 and 52. $8)\overset{460(45}{316(52}$ Wherefore for the two Numbers 147 and 170, you may take 52 and 60; or 39 and 45; or 45 and 52, or *&c.*

§ 7. I ſhall add but one Rule more before I come to the practice of what hath been laid down; which Rule will be of perpetual uſe, and conſiſts of theſe five particulars.

1. *To find what number of Turns the Fuſy will have,* thus: As the Beats of the Balance in one turn of the Great Wheel or Fuſy (ſuppoſe 26928) to the Beats of the Balance in one hour (ſuppoſe 20196):: So is the Continuance of the Watches going in hours (ſuppoſe 16) to the Number of the Turns of the Fuſy 12. In numbers 'twill ſtand thus, 26928. 20196 :: 16. 12. By § 4. you may remember that you are to multiply 20196 by 16, the product is 323136. Divide this by 26928, and there will ariſe 12 in the Quotient, which muſt be placed in the fourth place, and is the *Number of Turns* which the *Fuſy* hath. *Oughtred* Sect. 18. Sir *J. Moor* Ibid. p. 109.

2. *By the Beats and Turns of the Fuſy, to find how many Hours the Watch will go,* thus,

As the Beats of the Balance in one hour, are to the Beats in one Turn of the

the Fusy : : So is the Number of the Turns of the Fusy, to the Continuance of the Watch's going. In numbers thus,

20196. 26928 : : 12. 16.

3. *To find the Strokes of the Balance in one Turn of the Fusy*, say, As the Number of Turns of the Fusy, to the Continuance of the Watch's going in hours : : So are the Beats in one hour, to the Beats of one Turn of the Fusy. In numbers it is thus,

12. 16 : : 20196. 26928.

4. *To find the Beats of the Balance in an Hour*, say thus; As the Hours of the Watches going, to the number of Turns of the Fusy : : So are the Beats in one Turn of the Fusy, to the Beats in an Hour. In numbers thus,

16. 12 : : 26928. 20196.

5. *To find what Quotient is to be laid upon the Pinion of Report*, say thus: As the Beats in one Turn of the Great-wheel, to the Beats in an Hour : : So are the Hours of the Face of the Clock (*viz.* 12 or 24) to the Quotient of the Hour-wheel or Dial-wheel, divided by the Pinion of Report, *i. e.* the Number of Turns, which the Pinion of Report hath in one Turn of the Dial-wheel. In numbers thus,

26928. 20196 : : 12. 9.

Or rather (to avoid trouble) say thus, As the Hours of the Watch's going, are

to

to the Numbers of the Turns of the Fuſy : : So are the Hours of the Face, to the Quotient of the Pinion of Report. In numbers thus, 16. 12 : : 12. 9. If the Hours of the Face be 24, the Quotient will be 18; thus. 16. 12 : : 24. 18.

N.B. This Rule may be made to ſerve to lay the Pin. of Report on any other Wheel thus; As the Beats in one T. of any wheel to the Beats in an Hour : : So are the Hours of the Face, or Dial-plate of the Watch, to the Quotient of the Dial-wheel divided by the Pinion of Report, fixed on the Spindle of the aforeſaid Wheel.

§ 8. Having given a full account of all things neceſſary to the underſtanding the Art of Calculation, I ſhall now reduce what hath been ſaid into practice, by ſhewing how to proceed, in Calculating a Piece of Watch-work.

The firſt thing you are to do, is to pitch upon your *Train*, or Beats of the Balance in an Hour: as, whether a ſwift Train, about 20000 beats (which is the uſual Train of one of the old common 30 Hour Pocket-Watches) or a ſlower Train of about 16000 (the Train of the new Pendulum Pocket-Watches;) or any other *Train*.

Having thus pitched upon your *Train*, you muſt next reſolve upon the Number

ber of Turns you intend your Fuſy ſhall have, and alſo upon the number of Hours, you would have your Piece to go: As ſuppoſe 12 Turns; and to go 30 Hours, or 192 Hours (which is 8 days) or *&c.*

Theſe things being all ſoon determined; you next proceed to find out the Beats of the Balance, or Pendulum, in one Turn of the Fuſy, by the laſt § 6, part 3, *viz.* As the Turns of the Fuſy, to the Hours of the Watch's going:: So is the Train, to the number of Beats in one Turn of the Fuſy. In numbers thus, 12. 16:: 20000. 26666. Which laſt number are the Beats in one Turn of the Fuſy, or Great-wheel; and (by Sect. I. § 5. of this Chap.) are equal to the Quotients of all the Wheels unto the Balance multiplied together. This Number therefore is to be broken into a convenient parcel of Quotients: which you are to do after this manner. Firſt, half your number of Beats, *viz.* 26666, for the reaſons in Sect. I. § 6. of this Chap. the half whereof is 13333. Next you are to pitch upon the number of your Crown-wheel, as ſuppoſe 17. Divide 13333 by 17, the Quotient will be 784 (or to ſpeak in the language of one that underſtands not Arithmetick, divide 13333 into 17 parts, and 784 will be one of them.) This 784 is the

the Number left for the Quotients (or Turns) of the reſt of the Wheels and Pinions; which being too big for one or two Quotients, may be beſt broken into three. Chuſe therefore 3 Numbers, which when multiplied all together continually will come neareſt 784. As ſuppoſe you take 10, 9, and 9. Now 10 times 9 is 90; and 9 times 90 is 810, which is ſomewhat too much. You may therefore try again other numbers, as ſuppoſe 11, 9, and 8. Theſe multiplied as the laſt, produce 792, which is as near as can be, and convenient Quotients alſo.

Thus you have contrived your Piece, from the Great-Wheel to the Balance. But the Numbers not falling out exactly according as you at firſt propoſed, you muſt correct your Work thus. Firſt, to find out the true number of Beats, in one Turn of the Fuſy, you muſt multiply 792 aforeſaid, (which is the true Product of all the Quotients you pitched upon,) by 17, the Notches of the Crown-wheel; the product of this is 13464, which is half the Number of true Beats in one Turn of the Fuſy, by Sect. I. § 5. of this Chap. Then to find the true Number of Beats in an Hour, ſay by § 6. part 4. of this Sect. As the Hours of the Watch's going, *viz.* 16: to the 12 Turns of the Fuſy:: So is

13464 the half beats in one Turn of the Fusy, to 10098 the half beats in an Hour; the numbers will stand thus, 16. 12 :: 13464. 10098.

Then to know what Quotient is to be laid upon the Pinion of Report, say by § 6. part 5. of this Sect. As the Hours of the Watch's going, *viz.* 16, to the Turns of the Fusy, *viz.* 12 : : So are the hours of the Dial-plate, *viz.* 12, to the Quotient of the Pinion of Report fixed on the Great-wheel. In numbers thus, 16. 12 : : 12. 9.

Having thus found out all your Quotients, 'tis easy to determine what numbers your Wheels shall have; for chuse what numbers your Pinions shall have, and multiply the Pinions by their Quotients, and that produceth the number 3 for your Wheels, as you see in the Margin. Thus 4 is the number of your Pinion of Report, and 9 its quotient; therefore 4 times 9, which makes 36, is the number for the Dial-wheel. So the next Pinion being 5, and its quotient 11, this multiplied produces 55 for the Great-wheel. And the like of the rest of the following numbers.

4)36(9	
5)55(11	
5)45(9	
5)40(8	
	17

Thus, as plain as words can express it, I have shewed how to calculate the number of a 16 hour Watch. § 8.

§ 8. This Watch may be made to go a longer time, by leſſening the Train, and altering the Pinion of Report. Suppoſe you could conveniently ſlacken the Train to 16000, the half of which is 8000. Then ſay (by § 6. part 2. of this Sect.) As the halfed Train, or Beats in an hour, *viz.* 8000, to the Half Beats in one Turn of the Fuſy, *viz.* 13464 : : So are the turns of the Fuſy, *viz.* 12, to the hours of the Watch's going : in numbers thus, 8000. 13464 : : 12. 20. So that this Watch will go 20 hours. *Ought to* Sect. 28.

Then for the Pinion of Report, ſay, by the ſame §, part 5, As (20 the Continuance;) to 12 (the Turns of the Fuſy) : : So are 12 (the Hours of the Face,) to 7, the quotient of the Pinion of Report. In numbers thus, 20. 12 : 12. 7.

4)28(7
5)55(11
5)45(9
5)40(8
17

The work is the ſame as before, as to the numbers; only the Dial-wheel is but 28, becauſe its quotient is altered to 7; as appears in the Margin, by the Scheme of the work.

§ 9. I ſhall give the Reader one example more, for the ſake of ſhewing him the uſe of ſome of the foregoing Rules, not yet taken notice of in the former operations. Sup-

pose you would give Numbers to a Watch of about 10000 Beats in an Hour, to have 12 Turns of the Fusy, to go 170 hours, and 17 Notches in the Crown-wheel.

This work is the same as in the last Example § 7. In short therefore thus, As the Turns 12: are to the Continuance 170 : : So is the Train 10000, to 141666, which are the Beats in one Turn of the Fusy. The Numbers will stand thus, 12 : 170 : : 10000 : 141666. Half this last is 70833. Divide this half into 17 parts, and 4167 will be for the Quotients. And because this Number is too big for 3 quotients, therefore chuse 4 : as suppose 10, 8, 8, and 6 $\frac{3}{5}$ (*i. e.* 6 and 3 fifths.) These multiplied together as before, and with 17, make 71808, which are Half the true Beats in one Turn of the Fusy. By this you are to find out your true Train first, saying in the former example, As 170: to 12 : : So 71808: to 5069; which last is the half of the true Train of your Watch. Then for the Pinion of Report, say, as 170: to 12 : : So 12 : to $\frac{144}{170}$, Which Fraction ariseth thus: If you multiply 12 by 12, it makes 144; and divide 144 by 170, you cannot; but setting the 144 (the Dividend) over 170, (the Divisor) and there ariseth this Fraction $\frac{144}{170}$, which

which is a Wheel and Pinion; the lower is the Pinion of Report, and the upper is the Dial-wheel, according to Sect. 1. § 3. of this Chapter. Or (which perhaps will be more plain to the unlearned Reader) you may leave those two Numbers, in their Divisional posture thus, 170) 144, which does express the Pinion and Wheel, in the way I have hitherto made use of. *Sect.* 1. § 3

But to proceed. These Numbers being too big to be cut in small Wheels, may be varied, as you see a like example in § 6. of this Section, *viz.* say, as 144 is to 170. So is 360 to 425. Or as 170, to 144 : So is 360 to 305. In numbers thus, 144 : 170 : : 360 : 425. Or 170 : 144 : : 360 : 305. Divide 360, and either of these two fourth and last Numbers by 4, 5, 6, 8, &c. (as is directed in the Rule last cited.) If you divide by 8, you will have for your numbers $\frac{45}{170}$ $\frac{45}{38}$ or $\frac{18}{43}$. If you divide by 15 (which will not bring it so near an Integer) you will have $\frac{24}{28}$ or $\frac{20}{24}$: which last are the numbers set down in the Margin; where the numbers of the whole movement are set down.

24)20($\frac{20}{24}$
6)60(10
6)48(8
5)40(8
5)33($\frac{3}{5}$
17

§ 10. Having ſaid enough, I think, concerning the Calculation of ordinary Watches, to ſhew the Hour of the Day: I ſhall next proceed to ſuch as ſhew Minutes and Seconds. The Proceſs whereof is thus; firſt, having reſolved upon your Beats in an Hour, you are next to find how many Beats there will be in a Minute, by dividing your deſigned Train into 60 Parts. And accordingly you are to find out ſuch proper Numbers for your Crown-wheel, and Quotients, as that the Minute-wheel ſhall go round once in an Hour, and the Seconds-wheel once in a Minute.

An Example will make all plain. Let us chuſe a Pendulum of 7 Inches
Ch. v. § 4. length, which by the following Pendulum Table vibrates 142 Strokes in a Minute, and 8520 in an Hour.
Sect. 1. § 6. Theſe Sums being Halved are 71, and 4260. Now the firſt Work to be done is to break this Half Number of Minutes 71 into good Proportions; which will fall as near as may be into one Quotient, and the Crown-wheel. Firſt, for the Crown-wheel; let it have 15 Notches. Divide 71 aforeſaid by this 15, the Quotient will be nearly 5. And ſo this firſt Work is done; for a Crown-wheel of 15, and a Wheel and Pinion,

Pinion, whoſe Quotient is 5 (as in the Margin) will go round in a Minute, to carry a Hand to ſhew *Seconds*, if you pleaſe.

8)40(5
15

Next for a Hand to go round in an Hour to ſhew Minutes. Now becauſe there are 60 Minutes in an Hour, 'tis but breaking 60 into two good Quotients (which may be 10 and 6, or 8 and 7 $\frac{1}{2}$, or &c.) and the Work is done.

8)64(8
8)60(7$\frac{1}{2}$
8)40(5
15

Thus your Number 4260 is broken, as near as can be, into proper Numbers.

But becauſe it does not fall out exactly into the above-mentioned Numbers, you muſt correct (as you were directed before) and find out the true Number of Beats in an Hour, by multiplying 15 by 5, which makes 75; and this by 60 makes 4500: which is the half of the true Train. Then to find out the Beats in one Turn of the Fuſy, operate as before, *viz.* As the Number of Turns (16,) to the Continuance 192:: So is 4500 to 54000, which are half the Beats in one Turn of the Fuſy. In Numbers thus, 16. 192:: 4500. 54000. This 54000, muſt be divided by 4500, which are the true Numbers already pitched upon, or Beats in

§ 6. *Par.* 3. § 7.

an Hour. The Quotient of this Division is 12, which being not too big for one single Quotient, needs not be divided into more. The Work will stand, as you see in the Margin.

```
9)108(12
8) 64(8
8) 60(7½
8) 40(5
```

As to the Hour-hand, the Great-wheel (which performs only one Revolution in 12 Turns of the Minute-wheel) will shew the Hour. Or rather you may order it to be done by the Minute-wheel, as shall be shewed hereafter.

§ 11. I shall add but one Example more, and so conclude this Section; and that is, to calculate the Numbers of a Piece whose Pendulum swings Seconds, to shew the Hour, Minutes, and Seconds, and to go 8 Days; which is the usual Performance of those Movements called *royal Pendulums* at this Day. First, cast up the Number of Seconds in 12 Hours (which are the Beats in one Turn of the Great-wheel.) These are 12 times 60 Minutes, and 60 times that, gives 43200, which are the Seconds in 12 Hours. Half this Number (for the Reasons before) is 21600. The Swing-wheel must needs be 30, to swing 60 Seconds in one of its Revolutions. Divide 21600 by it, and 720 is the Quotient, or Number left to be broken into

Sir *S. Moor* ib. p. 116.

Quotients.

Quotients. Of these Quotients, the first must needs be 12 for the Great-wheel, which moves round once in 12 Hours. Divide 720 by 12, the Quotient is 60; which may be conveniently broken into two Quotients, as 10 and 6, or 5 and 12, or 8 and 7 ½, which last is most convenient.

And if you take all the Pinions 8, the Work will stand as in the Margin.

8)96(12
8)64(8
8)60(7½

According to this Computation, the Great-wheel will go about once in 12 Hours, to shew the Hour, if you please: the Second-wheel once in an Hour, to shew the Minutes; and the Swing-wheel once in a Minute, to shew the Seconds. 30

Thus I have endeavoured with all possible Plainness, to unravel this most mysterious, as well as useful Part of Watch-work. In which, if I have offended the more learned Reader, by unartificial Terms, or Multitude of Words, I desire the Fault may be laid upon my earnest Intent to condescend to the meanest Capacity.

SECT. III.

To Calculate the Striking-part of a Clock.

HAving in the preceeding Section ſhew'd, as clearly as I could, the Way of Calculating Numbers for the *Watch-part*, I ſhall in this do the ſame for the *Clock*, or *Striking-part*. Which having never been treated before, I ſhall reduce to *as plain* Rules and Method as I can.

§ 1. Altho' this Part conſiſts of many Wheels and Pinions, yet Reſpect needs to be had only to the *Count-wheel*, *Striking-wheel*, and *Detent-wheel* which move round in this Proportion; the *Count-wheel* moveth round commonly once in 12, or 24 Hours. The *Detent-wheel* moves round every Stroke the Clock ſtriketh, ſometimes but once in two Strokes. From whence it follows,

1. That as many Pins as are in the Pin-wheel, ſo many Turns hath the Detent-wheel, in one Turn of the Pin-wheel. Or (which is the ſame) the Pins of the Pin-wheel are the Quotient of that Wheel, divided by the Pinion of the Detent-wheel. But if the Detent-wheel moveth but once round in two Strokes of the Clock, then the ſaid Quotient is but half the Number of Pins.

2. As many Turns of the Pin-wheel as are

are required to perform the Strokes of 12 Hours (which are 78) So many Turns muſt the Pinion of Report have, to turn round the Count-wheel once. Or thus: Divide 78 by the Number of Striking-pins, and the Quotient thereof ſhall be the Quotient for the Pinion of Report, and the Count-wheel. All this is, in Caſe the Pinion of Report be fixed to the Arbor of the Pin-wheel, as is very commonly done.

All this I take to be very plain: or if it be not, the Example in the Margin will clear all Difficulties. Here the Locking-wheel is 48, the Pinion of Report is 8, the Pin-wheel is 78, the Striking-pins are 13. And ſo of the reſt. I need only to remark here, that 78 being divided by the 13 Pins, gives 6; which is the Quotient of the Pinion of Report; as was before hinted.

8)48(6
6)78(13 pins
6)60(10
6)48(8

As for the *Warning-wheel* and *Flying Pinion*, it matters little what Numbers they have, their Uſe being only to bridle the Rapidity of the Motion of the other Wheels.

Beſides the laſt Obſervation, there are other Ways to find out the Pinion of Report, which will fall under the next §.

§ 2.

§ 2. These following Rules will be of great Use in this part of Calculation, *viz.*

Rule 1. *To find how many Strokes the Clock striketh in one Turn of the Fusy or Barrel.*

As the Number of Turns of the Great-wheel, or Fusy,

To the Days of the Clock's Continuance;

: : So is the Number of Strokes in 24 Hours, *viz.* 156,

To the Strokes in one Turn of the Fusy, or Great-wheel.

Rule 2. *To find how many Days the Clock will go.*

As the Number of Strokes in 24 Hours, which are 156,

To the Strokes in one Turn of the Fusy or Great-wheel,

: : So are the Turns of the Fusy, or Great-wheel,

To the Days of the Clock's Continuance, or going.

Rule 5. *To find the Number of Turns of the Fusy or Barrel.*

As the Strokes in one Turn of the Fusy,

To the Strokes of 24 Hours, *viz.* 156,

: : So is the Clock's Continuance,

To the Number of Turns of the Fusy, or Great-wheel.

These two last Rules are of no great Use

Uſe (as the firſt is) but may ſerve to correct your Work, if need be, when in breaking your Strokes into Quotients (of which preſently) you cannot come near the true Number, but a good many Strokes are left remaining. In this caſe, by Rule 2. you may find whether the Continuance of your Clock be to your Mind, And by this Rule 3, you may enlarge or diminiſh the Number of Turns for this Purpoſe. The Praxis hereof will follow by and by.

The two following Rules are to find fit Numbers for the Pinion of Report, and the Locking-wheel, beſides what is ſaid before § 1. Inference 2.

Rule 4. *To fix the Pin. of Report on the Spindle of the Great-wheel.*

As the Number of Strokes in the Clock's Continuance, or in all its Turns of the Fuſy,

. To the Turns of the Fuſy,

: : So are the Strokes in 12 Hours, which are 78,

. To the Quotient of the Pinion of Report, fixed upon the Arbour of the Great-wheel.

But if you would fix it to any other Wheel, you may do it thus, as is before hinted, *viz.* § 1. *Inf.* 2.

Rule 5. Firſt find out the Number of Strokes in one Turn of the Wheel you intend to fix your Pinion of Report upon

upon (which I ſhall ſhew you how to do in the following §.) Divide 78 by this Number, and the Number ariſing in the Quotient, is the Quotient of the Pinion of Report.

Or thus. Take the Number of Strokes in one Turn of the Wheel, for the Number of the Pinion of Report, and 78 for the Count (or Locking) wheel, and vary them to leſſer Numbers, by Sect. 2. § 5. of this Chapter.

The foregoing Rules, are of greateſt Uſe, in Clocks of a larger Continuance; altho' where they can be applyed, they will indifferently ſerve all. But the Rule following (which will ſerve larger Clocks too) I add chiefly for the Uſe of leſſer Pieces, whoſe Continuance is accounted by Hours.

Rule 6. This Rule is to find the Strokes in the Clock's Continuance, *viz.* As 12, is to 78 :: So are the Hours of the Clock's Continuance, to the Number of Strokes in that Time.

This Rule (I ſaid) may be made Uſe of for the largeſt Clock; but then you muſt be at the Trouble of reducing the Days into Hours. Whereas the ſhorteſt Way is to multiply the Strokes in one Turn of the Great-wheel, by the Number of Turns of the Fuſy. Thus in an 8 Day-piece, the Strokes in one Turn are 78. Theſe multiplied by 16, (the

(the Turns) produce 1248; which are the Strokes in the Clock's Continuance. If you work by the foregoing Rule, the Hours of 8 Days are 192. Then ſay, 12 78 :: 192. 1248.

§ 3. In this Paragraph, I ſhall ſhew the Uſe of the preceeding Rules, and by Example make all plain that might ſeem obſcure in them.

I begin with ſmall Pieces: of which but briefly. And firſt, having pitched upon the Number of Turns, and the Continuance of your Clock, you muſt find, by the laſt Rule, how many Strokes are in its Continuance. Then (if you make the Great-wheel the Pin-wheel) divide theſe Strokes by the Number of Turns, and you have the Number of Striking-pins. Or divide by the Number of Pins, and you have the Number of Turns.

Thus a Clock of 30 Hours, with 15 Turns of the Great-wheel, hath 195 Strokes. For by the laſt Rule, 12. 78 :: 30. 195. Divide 195 by 15, it gives 13 for the Striking-pins.

Or if you chuſe 13 for your Number of Pins, and divide 195 by it, it gives 15, for the Number of Turns, as you ſee in the Margin.

15)195(13
13)195(15

As for the Pin. of Report, and the Reſt of the Wheels, enough is ſaid in the § 1.

But

But suppose you would calculate the Numbers of a Clock of much longer Continuance, which would necessitate you to make your Pin-wheel further distant from the Great-wheel, you are to proceed thus: Having resolved upon your Turns, you must find out the Number of Strokes in one Turn of the Great-wheel, or Fusy, by § 2. Rule 11 Thus in an 8 Day-piece, of 16 Turns, 16. 8 :: 156. 78. So in a Piece of 32 Days, and 16 Turns, 16. 32 :: 156. 312. (See the Operation of these Numbers in the Rule referred unto.) These Strokes so found out, are the Number which is to be broken into a convenient Parcel of Quotients, thus;

First resolve upon your Number of Striking-pins: divide the last named Number by it: the Quotient arising hence, is to be one, or more Quotients, for the Wheels and Pinions. As in the last Examples, divide 78 (the Number of Strokes in one Turn of the Fusy) by 8. (the usual Number of Pins in an 8 Day-piece) and the Quotient is $9\frac{1}{4}$; which is a Quotient little enough. So in the Month-piece: if you take your Pins 8, divide 312 (the Number of Strokes in one Turn of the Fusy) by it, the Quotient is 39. Which being too big for one, must be broken into two

Quotients,

10)65(6½
8 48(6
6)48(8 pins

Quotients, for Wheels and Pinions, or as near as can be: which may be 7 and 5, or 6 and 6½. The latter is exactly 39, and may therefore ſtand; as you ſee in the Margin.

The Quotients being thus determined, and accordingly the Wheels and Pinions, as you ſee; the next Work is to find a Quotient for the Pinion of Report, to carry round the Count (or Locking) Wheel once in 12 Hours, or as you pleaſe. If you fix your Pinion of Report on the Great-wheel Arbour, you muſt operate by Rule 4, of the laſt Paragraph, as in the laſt Example of the Month-piece, by Rule 6 before, the Strokes in the Continuance of the Clocks going are 4992. Then by Rule 4. ſay, 4992. 16 :: 78 $\frac{4224}{48}$; or thus, for a Pinion and Wheel 4992 (1248. The firſt of which two Numbers is the Pinion, the next is the Wheel. Which being too large, may be varied to $\frac{36}{9}$ or 36)9; or to $\frac{24}{6}$ or 24)6, by Sect. 2. § 6. before.

Theſe Numbers being not the uſual Numbers of a Month-piece, but only made uſe of by me, as better illuſtrating the foregoing Rules; I ſhall therefore, for the fuller Explication of what has been ſaid, briefly touch upon the

Calculation

Calculation of the more uſual Numbers. They commonly increaſe the Number of Striking-pins, and ſo make the Second-wheel the Striking-wheel. Suppoſe you take 24 Pins; divide 312 (the Number of Strokes in one Turn of the Fuſy) by it, and the Quotient is 13.

8)104(13
6)72(12.24pins

Which is little enough for one Quotient; and may therefore ſtand as you ſee is done in the Margin: where the Quotient of the firſt Wheel is 13. In the ſecond Wheel of 72 Teeth. are the 24 Pins, although its Quotient is but 12, becauſe the Hoop-wheel is double, and goes round but once in two Strokes of the Pin-wheel.

The Pinion of Report here, is the ſame with the laſt, if fixed upon the Arbour of the Great-wheel. But if you fix it on the Arbour of the Second, or Pin-wheel, its Quotient then is found by § 1. Infer. 2. or by § 2. Rule 5. before: *viz.* Divide 78 by 24, and the Number ariſing in the Quotient, is the Quotient of the Pinion of Report, which is $\frac{1}{4}$. The Pinion of Report then being 12. the Count-wheel will be 39, as in the Margin.

12)39(3$\frac{1}{4}$

To perfect the Reader in this Part of Calculation, I will finiſh this Section with

with the Calculation of a Year-piece of Clock-work. The Proceſs whereof is the ſame with the laſt, and therefore I may be more brief with this, except where I have not touched upon the foregoing Rules.

We will chuſe a Piece to go 395 Days with 16 Turns, and 26 Striking-pins. By § 2. Rule 1. there are 3851 Strokes in one Turn of the Great-wheel. For 16. 395 :: 156. 3851. This laſt Number divided by the 26 Pins, leaves 148 in the Quotient, to be broken into two or more Quotients, for Wheels and Pinions. Theſe Quotients may be 12 and 12; which multiplied, makes 144, which is as near as can well be to 148, without Fractions. The Work thus far contrived, will ſtand as you ſee in the Margin. *Sect.* 2. § 4.

10)120(12
8) 96(12
78 | 26 pins

Before you go any further, you may correct your Work, and ſee how near your Numbers come to what you propoſed at firſt, becauſe they did not fall out exact, and firſt, for the true Continuance of your Clock: *If you multiply* 12, 12, *and* 26 (i. e. *the Quotients and the Striking-pins*) *you have the true Number of Strokes, in one Turn of the Great-wheel:* Which, in this Example, make 3744. For 12 Times 12 is 144; and 26 Times that,

that, is 3744. (This Direction I would have noted, and remembred, as a Rule useful at any Time to discover the Nature of any Piece of Clock-work.) Having thus the true Number of Strokes desired, by § 2. Rule 2. you may find the true Continuance to be only 384 Days. For 156 : 3744 : : 16 : 384. If this Continuance doth not please you, you may come nearer to your first proposed Number of 395 Days, by a small Increase of the Number of Turns, according to § 2. Rule 3. viz. by making your Turns almost 16½. For 3744. 156 : : 395. 16½ almost.

Thus much may serve for the Exercise of the young Practitioner; but the may, if he pleases, by the Help of Fractions, come up exactly to his Quotient 148, by taking 12 and 12⅓ for his two Quotients. In which Case, the Work will be as it stands in the Margin.

10)120(12
6)74(12⅓
78
26 Pins.

Lastly, For the Pinion of Report, if you fix it upon the Great-wheel, it will require an excessive Number: If you fix it upon the Pin-wheel (which is usual) then by § 2. Rule 5. 13)39(3 the Quotient is 3; and the Pinion of Report being 13, the Count-wheel will be 39; as you see in the Margin.

But

But for the better exercising the Reader, let us fix it upon the Spindle of the Second-wheel 96. Its Quotient is 12; which multiplied by 26 (the Pins) produceth 312; which are the Strokes in one Turn of that Second-wheel. Then by § 2. Rule 5. divide 78 by 312. *i. e.* Set them as a Wheel and Pinion thus, 312)78, and vary them to lesser Numbers by Sect. 2. § 5.) *viz.* 36)9, or to 24)6 or the like, and the Work is done.

I think it needless to say any Thing of Pocket-Clocks, whose Calculation is the very same, with what goes before.

That the unlearned Reader may not think any Thing going before difficult, I need only to advise him, to look over the working of the Rule of Proportion, in Sect. 2. § 4. For I think all will be plain, if that be well understood.

SECT. IV.

Of Quarters and Chimes.

THIS being a Part of Clock-work, which was never before treated of, the Reader will expect I should say something about it; but because there is little, but what is purely mechanical in it, I shall say the less, and leave the Reader to his own Invention. § 1.

§ 1. The *Quarters* are generally a diſtinct Part from the Clock-part, which ſtriketh the Hour.

The *Striking-Wheel* may be the Firſt, Second, or *&c.* Wheel, according to your Clock's Continuance. Unto which Wheel you may fix the Pinion of Report.

The *Locking-Wheel* muſt be divided (as other Locking-Wheels) into 4, 8, or more unequal Parts, ſo as to ſtrike the Quarter, and lock at the firſt Notch; the Half-hour, and lock at the ſecond Notch, *&c.* And in doing this you may make it to chime the Quarters, or ſtrike them upon two Bells, or more.

'Tis uſual for the Pin-wheel, or the Locking-wheel, to unlock the Hour-part in theſe Clocks; which is eaſily done by ſome Jogg or Latch, at the End of the laſt Quarter, to lift up the Detents of the Hour-part.

If you would have your Clock ſtrike the Hour, at the Half-hour, as well as whole Hour, you muſt make the Locking-wheel of the Hour-part double: *i. e.* it muſt have two Notches of a Sort, to ſtrike 1, 2, 3, 4, *&c.* twice a piece.

§ 2. As for *Chimes*, I need ſay nothing of the Lifting-pieces and Detents, to lock and unlock; nor of the Wheels to bridle the Motion of the Barrel, that being

being purely mechanical. Only you are to obſerve, that the Barrel muſt be as long in turning round, as the Meaſure or Length of the Tune, or as you are in ſinging the Tune it is to play. As for the *Chime-Barrel*, it may be made up of certain Barrs, that run athwart it, with a convenient Number of Holes punched in them, to put the Pins in and out that are to draw each Hammer. By this means you may change the Tune, without changing the Barrel. This was the Way of the *Royal-Exchange* old Clock in *London*, and of others. In this caſe, either the Bars muſt be at the Diſtance of the quicker Time, as a Quaver, *&c*; which could not well be admitted of; or elſe at a wider Diſtance, as ſuppoſe of a Semibrief: And in this caſe, the Pins, or Nuts which draw up the Hammers, are ſome only of them to ſtand upright in their Holes, and others to bend off more or leſs, as ſuppoſe a Quarter, Half, or $\frac{1}{4}$ of that Diſtance between each Bar, according as the Notes are a $\frac{1}{4}$, $\frac{1}{2}$, or $\frac{1}{4}$ of a Semibrief, or the Diſtance between each Bar. Concerning the Reaſon of which, more by and by.

But the moſt uſual Way is, to have the Pins that draw the Hammers, fixed on the Barrel. For the placing of which Pins, you may make uſe of the

Muſical

Musical Notes, or proceed by the Way of Changes on Bells, *viz.* 1, 2, 3, 4, &c. The first being far the better Way, I shall speak of that chiefly, especially because the Latter will fall in to be explained with it.

And first, you are to observe what is the Compass of your Tune, or how many Notes or Bells there are from the highest to the lowest; and accordingly you must divide your Barrel from End to End. Thus in the Examples following, each of those Tunes are 8 Notes in Compass; and accordingly the Barrel is divided into 8 Parts. These Divisions are struck round the Barrel, opposite to which are the Hammer-tails.

I speak here, as if there was only one Hammer to each Bell, that the Reader may more clearly apprehend what I am explaining. But when two Notes of the same Sound come together in a Tune, there must be two Hammers to that Bell, to strike it. So that if in all the Tunes you intend to chime, of 8 Notes Compass, there should happen to be such double Notes on every Bell, instead of 8, you must have 16 Hammers; and accordingly you must divide your Barrel, and strike 16 Strokes round it opposite to each Hammer-tail. Thus much for dividing your Barrel from End to End.

In

In the next place, you are to divide it (round about) into as many diviſions, as there are muſical Barrs, Semibriefs, Minums, *&c.* in your Tune. Thus the 100th Pſalm-tune hath 20 Semibriefs; the Song-tune following, hath 24 Barrs of triple time: and accordingly their Barrels are divided. Each diviſion therefore of the 100th Pſalm Barrel is a Semibrief, and of the Song-tune 'tis three Crotchets. And therefore the intermediate Spaces ſerve for the ſhorter Notes: as, one third of a diviſion, is a Crotchet, in the Song-tune. One half a diviſion, is a Minum; and one quarter, a Crotchet, in the Pſalm-tune. Thus the firſt note in the 100th Pſalm, is a Semibrief, and accordingly on the Barrel, 'tis a whole diviſion from 5 to 5. The ſecond is a Minum, and therefore 6 is but a half a diviſion from 5; and ſo of the reſt. And ſo alſo for the Song-tune, which is ſhorter time: the two firſt Notes being Quavers, are diſtant from one another, and from the third Pin, but half a third part of one of the diviſions, But the two next Pins (of the bell 3, 3.) being Crotchets, are diſtant ſo many third parts of a diviſion. And the next Pin (of the bell 1) being a Minum, is diſtant from the following Pin (4) two thirds of a diviſion.

A Table of Chimes to the 100 Pfalm.

8 7 6 5 4 3 2 1



8 7 6 5 4 3 2 1



The Muſical Notes of Pſalm 100.

The Musical Notes of





From what hath been ſaid, you may conceive the Surface of a Chime-barrel to be repreſented in theſe Tables, as ſtretcheth out at length: or (to ſpeak plainer) that if you wrap either of theſe Tables round a Barrel, the Dots in the Table, will ſhew the Places of the Pins to be ſet on the Barrel.

You may obſerve in the Tables, that from the End of each Table to the Beginning, is the Diſtance of two, or near two Diviſions: which is for a Pauſe, between the End of the Tune, and its beginning to Chime again.

I need not ſay, that the Dots running about the Tables, are the Places of the Pins that are to draw the Hammers, and ſo play the Tune.

If you would have your Chimes compleat indeed, you ought to have a ſet of Bells, to the Gamut-notes; ſo as that each Bell having the true Sound of *Sol*, *La*, *Mi*, *Fa*, you may play any Tune, with its Flats and Sharps. Nay, you may by theſe means, play both the Baſs and Treble, with one Barrel.

If any Thing going before appears Gibberiſh, I can't help it, unleſs I ſhould here teach the skill of Muſick too.

As to ſetting a Tune upon the Chime-barrel from the Number of Bells, *viz.* 1, 2, 3, 4, I ſhall here give you a Specimen thereof.

The Tune called, Such command o'r my Fate, in Numbers.

775, 3; 3, 1, 4, 5, 6, 4, 4, 2.
4, 3, 2, 3, 4, 6, 3, 5, 7, 7, 7. ‖
5, 6, 8, 8, 4, 4, 4; 3, 5, 4.
6, 5, 7, 5, 3; 41, 3, 5, 5, 5.
3, 3, 1, 3, 5. 554, 2, 4, 6.
4, 3; 23, 3; 53, 5, 7, 7, 7.

Note, In theſe Numbers, a Comma [,] ſignifies the Note before it, to be a Crotchet. A prick'd Comma, or Semi-colon [;] denoteth a prick'd Crotchet. And a Period [.] is a Minum. Where no Punctation is, thoſe Notes are Quavers.

I ſhall only add further, that by ſetting the Names of your Bells at the Head of any Tune (as is done in the Tables before) you may eaſily tranſfer that Tune, to your Chime-barrel, without any great skill in Muſick. But obſerve, that each Line in the Muſick is three Notes diſtant; *i.e.* there is a Note between each Line, as well as upon it: as is manifeſt by inſpecting the Tables.

SECT.

SECT. 5.

To Calculate any of the Celeſtial Motions.

The Motions I here chiefly intend, are the Day of the Month, and Year, the Moon's Age, the Tides, the Motions of the Planets; and if you pleaſe, of their Secondaries or Moons, and of the Platonick Year, or Slow Motion of the Fixed Stars, *&c.*

§ 1. For the effecting theſe Motions in Watch-work, you may make them to depend upon the Work already in the Movement; or elſe meaſure them by the Beats of a Balance or Pendulum.

If the latter Way, you muſt however contrive a Piece (as before in Watch-work) to go a certain Time, with a certain Number of Turns.

But then to ſpecify, or determine the Motion intended, you muſt proceed one of theſe two Ways: either,

1. Find how many Beats are in the Revolution. Divide theſe Beats by the Beats in one Turn of the Wheel, or Pinion, which you intend ſhall drive the intended Revolution: and the Quotient ſhall be the Number to perform the ſame. Which, if too big for one, may be broken into more Quotients. Thus, if you would re-

preſent the Synodical Revolution of the Moon, (which is 29 Days, 12 ½ Hours) with a Pendulum that ſwings Seconds, the Movement to go 8 Days, with 16 Turns of the Fuſy, and the Great-wheel to drive the Revolution, Divide 2551500 (the Beats in 29 Days 12 ½ Hours) by 43200 (the Beats in one Turn of the Great-wheel) and you have 59 in the Quotient: which being too big for one, may be put into two Quotients. Or,

2. You may proceed as is directed before, in the Section of calculating Watch-work, *viz.* Chuſe your Train, Turns of the Fuſy, Continuance, *&c.* And then inſtead of finding a Quotient for the Pinion of Report, find a Number (which is all one as a Pin. of Report) to ſpecificate your Revolution, by this following Rule.

Chap. ii. Sect 2. § 7.

Rule. As the Beats in one Turn of the Great Wheel, or any other Wheel which you would have to drive the Revolution work : is to the Train : : So are the Hours of the Revolution you would perform : to the Quotient of that Revolution.

Thus to perform the Period of *Saturn* (which according to ſome, is 29 Years 183 Days) with a 16 Hour Watch, of 26928 Beats in one Turn of the Fuſy, and 20196, the Train : the Quotient of the Revolution

Revolution will be 193824. For as 26928, To 20196 : : So 258432 (the Hours in 29 y. and 183 d.) To 193824. Note here, that the Great-wheel Arbor-work is to drive the Revolution-work.

But if you would have the Revolution to be driven by the Dial-wheel, and the Work already in the Movement (which in Great Revolutions, is for the moſt Part, as nice as the laſt Way, and in which I intend to treat of the particular Motions) in this Caſe, I ſay, you muſt firſt know the *Days* of the Revolution. And becauſe the Dial-Wheel commonly goeth round twice in a Day, therefore double the Number of the days in the Revolution, and you have the Number of Turns of the Dial-Wheel in that Time. This Number of Turns is what you are to break into a convenient Number of Quotients, for the Wheels and Pinions; as ſhall be ſhewed in the following Examples.

§ 2. A Motion to ſhew the Day of the Month.

The Days in the largeſt Month are 31. Theſe doubled are 62, which are the Turns of the Dial-Wheel, which may be broken into theſe two Quotients 15 ½ and 4; which multiplied together make 62. Therefore chuſing your Wheels and Pinions, as hath been directed in the former Sections, *Oughtred.* § 32.

your Work is done. The Wheels and Pinions may be, as you see done in the Margin. Or if a larger Pinion than one of 5 be Necessary, by Reason it is concentrick to a Wheel, you may take 10 for the Pinion, and 40 for the Wheel, as in the Margin.

4)62(15½
5)20(4

4)62(15½
10)40(4

The Work will lye thus in the Movement, *viz.* Fix your Pinion 10, concentrical to the Dial-wheel (or to turn Round with it upon the same Spindle.) This Pinion 10 drives the Wheel 40: which Wheel has the Pinion 4 in its Center, which carrieth about a Ring of 62 Teeth, divided on the Upper-side into 31 Days.

Or, you may, without the Trouble of many Wheels, effect this Motion, *viz.* by a Ring divided into 30 or 31 Days, and as many Fangs or Teeth, like a Crown-wheel Teeth, which are caught and pushed forward once in 24 Hours by a Pin in a Wheel, that goeth round in that Time. This is the usual Way in the Royal Pendulums, and many other Watches; and therefore being common, I shall say no more of it.

Id lb. § 33.

§ 3. *A Motion to shew the Age of the Moon.*

The Moon finisheth her Course, so as to overtake the Sun in 29 Days, and a little

a little above an Half. This 29 ½ Days (not regarding the ſmall exceſs) makes 59 twelve Hours, or turns of the Dial-wheel, which is to be broken into convenient Quotients: which may be 5,9 and 10, as in the firſt Example; or 14 ¾ and 4, as in the ſecond Example in the Margin. So that if you fix a Pinion of 10 concentrical with your Dial-wheel, to drive a Wheel of 40 (according to the laſt Example) which Wheel 40 drives a Pinion 4, it will carry about a Ring, or Wheel of 59 Teeth, once in 29½ Days. Which Ring may be divided into 29 ½ Parts; or carry an Index to point to a Circle ſo divided.

10)59(5,9 4)59(14¾
4)40(10 10)40(4

§ 4. *A Motion to ſhew the Day of the Year, the Sun's place in the Ecliptick, Sun's Riſing or Setting, or any other annual Motion of* 365 *Days.* Id. Ib.

The double of 365 is 730, the Turns of the Dial-wheel in an Year: which may be broken into theſe Quotients, *viz.* 18¼ and 10, and 4, according to the firſt Example; or 18¼, 8, and 5, according to the Second. So that a Pinion of 5 is to lead a Wheel of 20;

4)73(18¼ 4)73(18¼
4)40(10 4)32(8
5)20(4 4)20(5

which again by a Pinion of 4, leadeth a Wh. of 40; which 3dly by a Pin. of 4, carrieth about a Wh. or Ring of 73, divided into the 12 Months, and their Days; or into the 12 Signs, and their Degrees; or into the Sun's Rising and Setting, *&c.* For the setting on of which last, you have a Table in Mr. *Oughtred's Opuscula*, or it may be done from any well calculated Almanack.

Autom. § 35. Id. lb. § 37.

§ 5. *To shew the Tides at any Port.*

This is done without any other Trouble, than the Moon's Ring (before mentioned § 3.) to move round by a fixed Circle, divided into twice 12 Hours, and numbered the contrary way to the Age of the Moon.

To set this to go right, you must find out at what Point of the Compass the Moon makes full Sea, at the place you would have your Watch serve to Convert that Point into Hours, allowing for every Point North or S. lost, 45 min. of an Hour. Thus at *London-bridge* 'tis vulgarly thought to be high Tide, the Moon at N.E. and S. West, which are 4 Points from the N. and S. Or you may do thus: by Tide Tables, learn how many Hours from the Moon's Southing, 'tis High-water. Or thus; find at what Hour it is High-water, at the Full, or Change of the Moon: as at *London-bridge*, the full Tide is commonly reckoned to be 3

Hours

Hours from the Moon's Southing; or at 3 of Clock at the Full and Change. The Day of Conjunction, or New-Moon, with a little ſtud to point, being ſet to the Hour ſo found, will afterwards point to the Hour of full Tide.

This is the uſual way; but it being always in Motion, as the Tides are not, a better Way may be found out, *viz.* by cauſing a Wheel, or Ring to be moved forward, only twice a Day, and to keep Time (as near as can be) with Mr. *Flamſteed's* moſt correct Tables. But this I ſhall commit to the Readers contrivance, it being eaſie; and more of Curioſity than Uſe in it.

§ 6. *To Calculate Numbers, to ſhew the Motion of the Planets, the ſlow Motion of the fixed Stars,* &c.

Having ſaid enough before that may be applied here, and given Numbers in *Chap.* 10. which may be ſufficient to exerciſe, and inſtruct the Reader in this Matter, I ſhall not therefore trouble him or ſwell my Book with ſo many Words, as would be required to treat of theſe Motions diſtinctly, and compleatly.

Only thus much in general. Knowing the Years of any of theſe Revolutions, you may break this Number into Quotients; if you will make the Revolution to depend upon the Years Moti-

on;

on; which is already in the Movement, and described § 4. before. Or if you would have it depend upon the Dial-wheel, or upon the Beats of a Pendulum, enough is said before to direct in this Matter.

In all these slow Motions, you may somewhat shorten your Labour, by endless Screws to serve for Pinions, which are but as a Pinion of one Tooth.

Mat. Comp. 117. Sir *Jonas Moor's* Account of his large Sphere going by Clock-work, will illustrate this Paragraph. In this Sphere, is a Motion of 17100 Years, for the Sun's *Apogeum*, performed by 6 Wheels, thus, as Sir *Jonas* relates it; 'For the 'Great-wheel fixed is 96, a Spindle-'wheel of 12 Bars turns round it 8 'Times in 24 Hours, that is, in 3 Hours; 'after these, there are four Wheels, 20, '73, 24, and 75, wrought by endless 'Screws that are in value but one; 'therefore 3, 10, 73, 24, and 75 mul-'tiplied together continually, pro-V. Sect. 1. § 4, 5. 'duceth 7884000 Hours, which divid-'ed by 24 gives 3285000 Days, equal 'to 900 Years. Now on the last Wheel '75 is a Pinion of 6, turning a great 'Wheel, that carrieth the *Apogeum* 'Number 114: and 114 divided by 6, 'gives 19 the Quotient: and 900 Times '19 is 7100 Years.

Thus I have, with all the perspicuity

ity I could, led my Reader through the whole Art of Calculation, ſo much of it at leaſt, that I hope he will be Maſter of it all; not only of thoſe Motions, which I have particularly treated about, but of any other not mentioned: Such as the Revolution of the Dragon's Head and Tail, whereby the Eclipſes of the Sun and Moon are found, the Revolution of the ſeveral Orbs, according to the *Ptolemaick* Syſtem, or of the Celeſtial Bodies themſelves, according to better Syſtems, with many other ſuch curious Performances, which have made the Sphere of *Archimedes* of old Famous: and ſince him, that of *William* of *Zeland*, and another of *Janellus Turrianus* of *Cremona*, mentioned by *Cardan*, and more lately thoſe elaborate and curious Pieces of Mr. *Watſon*, Mr. *Tompion*, and another very lately of Mr. *Rowley*; which goes by the Name of the *Orrery*.

De Sub. ii. l. 17.

CHAP. III.

To alter Clock-work, or convert one Movement into another.

THis Chapter I deſign for the Uſe of ſuch, as would convert old Balance Clocks into Pendulums, or would make any old Work ſerve for the

the Tryal of new Motions or would apply it to any other ſuch like Uſe.

§ 1. To do this, you may draw a Scheme of your old Work: And ſo you will ſee what Quotients you have, and what you will want. To do all which, there are ſufficient Inſtructions in the preceding Chapter. A few Inſtances will make all plain.

§ 2. Let us chuſe, for Inſtance, an old Balance Watch to be turned into a Pendulum of 6 Inches. The old Work is, the Great-wheel 56, the Pinion 7; the next Wheel 54, the Pinion 6; the Crown-wheel 19, *&c.* The Scheme of this Work is in the Margin. The Quotients and Crown-wheel and 2 Pallets multiplied together continually; produce 2736, which are the Strokes of the Balance, in one Turn of the Great wheel, by Sect. I. § 4, 5 of the laſt Chapter. And by the Quotient of the Dial-wheel, (which is 12) it appears, that the Great-wheel goeth round once in an Hour. Or you may find the Beats in an Hour, by § 5, laſt cited. Having thus found the Beats in an Hour, of the Old-work, you muſt next find the Beats in an Hour of a 6 Inches Pendulum; which you may do by the Table in Chap. 5. § 4. following;

4)48(12
7)56(8
6)54)9
19

ing; according to which the Number is, 9204. Divide this by 2736, and you have the Quotient, which is to be added to the Scheme of the old Work. This Quotient is 3 and near $\frac{2}{5}$ as you ſee in the Margin. But to avoid the trouble of Fractions, let us take it $3\frac{1}{2}$.

2736)9204(3 $\frac{2}{5}$

The Work thus altered, will ſtand as you ſee in the Margin, *viz.* a Pinion 6, and a Contrate-wheel 21, muſt be added.

4)48(12
7)56(8
6)54(9
6)21(3 $\frac{1}{2}$
19

According to this Way, the old Work will ſtand as before, only the Crown-wheel muſt be inverted.

§ 3. But becauſe the Crown-wheel is too big for the Contrate wheel (which is unſeemly) therefore it will be beſt to make both the Contrate and Crown-wheels new; and increaſe the Number of the Contrate-wheel, but diminiſh that of the Crown-wheel. To do which, pitch upon ſome convenient Number for the Crown-wheel. Multiply all the Quotients, and this new Crown-wheel Number, as before; and divide 9204 by it. As ſuppoſe you pitch upon 11 for the Crown-wheel: If you multiply 8, 9 and 11, the product is 792; which multiplied by the 2 Pallets, makes

v. Sect. 1. § 6.

makes 1584, which are the Beats in one Turn of the Great-wheel, or in an Hour. Divide 9204 by it, and you have near 6 for the Quotient of your Contrate-wheel. The Work thus ordered, will ſtand as in the Margin.

```
4)48(12
7)56(8
6)54(9
6)36(6
------
  11
```

If you would correct your Work, to find the true Number of Beats in an Hour, *&c.* you muſt proceed, as is ſhewn Sect. 2. § 7, and latter-end of § 8 of the laſt Chapter.

§ 4. But ſuppoſe you have a Mind to change the former old Watch, into a 30 Hour-piece, and to retain the old Balance-wheel (which may be often done: In this Caſe, you muſt add a Contrate-wheel, and alter the Pinion of Report. For the Contrate-wheel, chuſe ſuch a Quotient as will beſt ſuit with the Reſt of your Work; and then multiply all your Quotients, Crown-wheel and 2 Pallets together, and ſo find the Number of Turns in the Great-wheel, as before. Then ſay by Sect. 2. § 7, Part 5. before, as the Beats in one Turn of the Great-wheel, to the Beats in an Hour: : So are the Hours of the Dial, to the Quotient of the Pinion of Report.

Thus in the old Work before; to the old Quotients 8, and 9, you may add another

another of 8, for the Contrate-wheel. Thoſe multiplied, as was now directed, make 21888, for the Beats in one Turn of the Great-wheel. And then for the Quotient of the Pinion of Report, ſay in Numbers thus, 21888. 9368 : : 12. 5. The Quotient for the Pinion of Report is ſomewhat more than 5, which overplus may be neglected, as you ſee by the Scheme of the whole work in the Margin.

6)30(5
7)56(8
6)54(9
6)48(8
—
19

If you deſire to know what Number of Turns the Fuſy muſt have in this Work; ſay by the laſt quoted §, Part 1, in Numbers thus, 21888. 9368 : : 30. 13 almoſt. So near 13 Turns will do.

If you would correct your Work, to know the exact Beats, *&c.* you are referred to Directions in the End of the laſt Paragraph.

But ſuppoſe in altering an old Watch, you would have it ſhew Minutes, as well as Hours; you may do it thus: Divide the Beats in one Turn of the Great-Wheel, by the Beats in an Hour; the Quotient will ſhew in how many Hours the Great-Wheel goeth round once. If the Beats in the Great-Wheel exceed the Train, you muſt chuſe your Minute-wheel firſt, and multiply it by the Quotient found; this will give the

Pin.

Pin. of Report. But if the Train exceeds the Beats of the Great-wheel, you muſt chuſe the Pin. of Report and multiply the Quotient by it: the product is the Minute-wheel.

But it often falls out, that the Train and Beats of the Great-wheel will not exactly meaſure one another: if ſo, the beſt way is to Half the two Numbers as far as they will equally admit of Halfing; or divide them by ſome common Diviſor, and ſo having brought them to as ſmall Numbers as you can, you may ſuppoſe them to be a Wheel and Pinion, and reduce them to leſſer Numbers, by Chap. 2. Sect. 2. § 6. Thus ſuppoſe you would make the old Movement laſt mentioned, a Minute Watch: you may reduce the Numbers of the Great-wheel 21888, and the Train 9368, to a Pinion and Wheel 28) 12. by the Directions laſt cited. Which Pin. 28 being ſet upon the Spindle of the Gr. Wh. will drive a Wheel 12 round once in an Hour, to ſhew Minutes. If (as in the Movements in Ch. 10) you make this Wh. 12. drive another of 48; concentrical to which, is a Pin. 12, driving a Wheel 36 (which Wheel is concentrical with the Minute-wheel) this will carry a Hand round in 12 Hours. But in this Caſe, you muſt place the Pin. 28 on the Spindle

Spindle of the Gr. Wh. ſo as to ſlide round ſtiffly, when you turn the Minute-hand to rectifie the Watch.

§ 5. I ſhall add but one Thing more, to what hath been ſaid in this Chapter, and that is to Change the ſtriking Part of this old Movement, into a 30 Hour Piece.

A Scheme of the old Work is in the Margin.

4)39(9¾
7)56(8 Pins
6)54(9
6)48(8

And to alter it, the beſt way is, to double the Number of Striking Pins, making the 8, ſixteen Pins, and the Hoop of the Detent-wheel double, and the Pin-wheel may Strike two Strokes, in its going round once.

The greateſt Inconvenience here, will be to Bridle the Rapidity of the Strokes; which a Quotient of 2 alone added to the old Work, would be ſufficient for: But this being an inconvenient Number, 'twill be neceſſary to be content with the old Numbers, or make more Wheels and Pinions new, than may be thought worth the while.

If you would find what Number of Turns the Fuſy will require; you muſt find how many Strokes are in 30 Hours, by Sect. 3. §. 2. R. 6. before. Theſe are 195; which divided by the 16 Pins, gives ſomewhat more than 12 Turns of the Fuſy.

Laſtly,

Laſtly, for the Pinion of Report, you muſt purſue the Directions in the laſt quoted place, R. 5.

5)24($\frac{2}{1}\frac{4}{6}$
7)56(8. 16 Pins.
6)54(9
6)48(8

The Work thus altered, will ſtand as in the Margin.

CHAP. IV.

To Size the Wheels and Pinions, or proportion them to each other, both Arithmetically and Mechanically.

§ 1. FOR the exact and eaſie moving of the Wheels and Pinions together, it is neceſſary that they ſhould fit each other, by having their Teeth and Leaves of the ſame wideneſs, or near of the ſame wideneſs. For many do make the Leaves of the Pinion narrower than the Teeth of its Wheel, by Reaſon of their running deep in each other; which is as if the Diameters of the Wheel and Pinion were leſs. But this I leave to thoſe whoſe Practice and Obſervations are greater than mine in theſe Matters.

§ 2. To make the Teeth of a Wheel and Pinion alike, the way *Arithmetically* is thus: Firſt you muſt find the Circumference of your Wheel and Pinion; which you may beſt do by the Rule of Three

Three (ſo often made uſe of before.) The Rule is thus, As 7 is to 22 : : ſo is the Diameter to the Circumference. Or more exactly thus, as 1, is to 3, 1416 : : So Diam. to Circum.

Suppoſe you have a Wheel of 2 Inches Diameter, and 60 Teeth, and would fit to it a Pinion of 6 Leaves. Firſt 7. 22 : : 2. 6, 3. The Circumference of the Wheel, is then 6 Inches, and 3 Tenths of an Inch. Then ſay, as the Teeth of the Wheel to the Circumference of it : : So are the Leaves of the Pinion, to the Circumference thereof. In Numbers thus, 60. 6,3 : : 6. ,63. The Pinion then is 63 hundredth Parts of an Inch round. Sir *J. Moor* Mat. Com. R. 5.

Now to find the Diameter, 'tis but the Reverſe of the former Rule, *viz.* As 22. to 7 : : So the Circumference to the Diameter. In Numbers thus, for the foregoing Pinion, 22. 7 : : 63. 2. The Diameter then of the Pinion muſt be two Tenths of an Inch, to fit the aforeſaid Wheel of two Inches Diameter.

§ 3. But becauſe this way may be difficult to Perſons unacquainted with Decimal Arithmetick, which is very neceſſary here; therefore I ſhall ſet down a Way to do it *Mechanically*. Having drawn a Circle, divide it into as many Parts as you intend Leaves in the Pinion

Pinion you would Size. From two of these Points in the Circle, draw two or more Lines to the Center: to which apply two of the Teeth of your Wheel, guiding them up and down until they Touch at the same Width on these Radii or Lines. Mark where this Agreement is, and a small Circle drawn there, will represent the Circumference of the Pinion sought after.

CHAP. V.

Of PENDULUMS.

§ 1. AMong all known Motions, none measureth Time so regularly, as that of a *Pendulum*. But yet Watches govern'd hereby are not so Perfect, but that they are Subject to the Variations of Weather, Foulness, *&c.* And the shorter and lesser the Pendulum is, so much the more Subject such Watches are to these Annoyances.

As to the Cause and Degree of these Variations, the following Experiments will in some Measure discover, which I made upon my own Clock, that goes all the Year, with as great Exactness, as I believe any of the present Clocks are capable of. The Clock vibrates Seconds, the Ball of the usual Weight (about

bout 3 *l.*) with such a *Regulating Bob* underneath as is described § following, and is represented in Fig. 1. Num. 4.

This Clock having for some Years kept Time as well as could be expected, I hung upon its Weight an Addition of 6 Pound in *August* and *September* 1706, and in *July* and *August* 1707, and afterwards in *October* and *November* 1712. This increase of the Weight, although it made the Vibrations larger (as I found by an Index I have for that Purpose) yet were they the quicker, and made the Clock gain about 13 Seconds every Day; even in these warmer Months when all Pendulum Clocks are apt to go too slow, as much as in Winter they go too fast.

And from hence we may manifestly perceive what the Cause is of those Variations which the Weather, Foulness, *&c.* produce in the going of Clocks; and that is the Power of the Weight or Spring that drives the Work is increased or diminished thereby. Thus warm Weather (by attenuating the Oyl, *&c.*) and Cleaness, give the Weight or Spring their full Power, or Force. But Cold Winter Weather thickens the Oyl in the Pivot-holes, and also makes the Metal rigid, and indeed contracts it, as I find by Experiments on warmed, and frozen Iron. And Foulness in the

Oyl

Oyl makes it ſtiff and tenacious, like Bird-lime. All which, as it clogs the Work, ſo as ſometimes to ſtop the Clock's Motion; ſo it diminiſheth the Force of the Weight or Spring, and in effect is equivalent to the taking off ſo much Weight, or Strength.

This is the principal Cauſe of the Alterations in Pendulum-Clocks. Beſides which there are ſome leſſer Cauſes; as the Rarity and Denſity of the Air, which hath ſome Influence upon the Pendulum moving in it; as appears from Dr. *Derham*'s Experiments made on Pendulums in the Air-pump in *Philoſ. Tranſ.* Number 294. Alſo as moſt long Pendulums have commonly ſlender Rods, which may be obſerved to bend a little at the end of each Vibration; ſo the Cold or Warmth of the Weather, by making the Rod more rigid, or more flexible, makes ſome little Alteration in the Vibrations.

To remedy this laſt Inconvenience, I know a Watch-maker that makes his Pendulum-Rods thin, but broad at bottom next the Ball, and ſo tapers them up until they end in the Spring at top. This he cryed up to me as a wonderful Diſcovery, and kept it as a great *Noſtrum* and *Arcanum* for ſome time.

BIBLIOTHECA BODLEIANA

But

But for a general Remedy to all Inconveniences, one Way is, to make the Pendulum long, the Bob heavy, and to vibrate but a little way from its Settlement. Which is now the moſt uſual way in *England.* The other is the Contrivance of the ingenious Mr. *Chriſtian Huygens*, which is, to make the Upper-part of the Rod, play between two Cheek-parts of a Cycloid. Sir *Jonas Moor* ſays, that after ſome Time, and charge of Experiments, he believes this latter to be the better Way. And Mr. *Huygens* calls it *admirable.* Mat. Comp. Rule. 3.

If any deſire to know how to make thoſe Cycloidal Cheeks fit to all Pendulums, I refer him to the aforeſaid Mr. *Huygens's* Book, becauſe I can't ſhew how to do it, without the Trouble of Figures; and this Way is much ceaſed, ſince the Crown-wheel Method (to which it is chiefly proper) is ſwallowed up by the Royal Pendulums. *De Horal. Oſcil.* p. 10, 11, 12.

§ 2. Another Thing to be remarked in Pendulums is, that the greater their Vibrations are, the ſlower they are. For if two iſochrone Pendulums do move, one the Quadrant of a Circle, the other not above 3 or 4 Degrees, this latter ſhall move ſomewhat Quicker than the former. Which is one Reaſon, why ſmall Crown-wheel Pendulums go

faſter in cold Weather, or when foul, than at other Times.

§ 3. For the Calculation of all Pendulums, it is neceſſary to fix upon ſome one, to be a Standard to the Reſt. I pitch upon a Pend. to vibrate Seconds each Stroke.

Mr. *Huygens* lays down the Length of a Pend. to ſwing Seconds to be 3 Feet, 3 Inches, and 2 Tenths of an Inch (according to Sir *J. Moor's* Reduction of it to *Engliſh* Meaſure.)

Ibid.

" The Honourable Lord *Bruncker*
Ibid. " (ſaith Sir *Jonas*) " and Mr. *Rook*,
" found the Length to be 39. 25 Inches,
" which a little exceeds the Other:
" and maybe, was juſtened by Mr. *Huy-*
" *gens's* Rule for the Center of Oſcilla-
" tion. For *Mouton's* Pendulum, that
" ſhall vibrate 132 Times in a Minute,
" it will be found likewiſe 8,1 Inches
" agreeing to 39,2 Inches *Engliſh*.
" Therefore for certain 39,2 Inches
" may be called the *Univerſal Meaſure*,
" and relied on, to be the near Length
" of a Pend. that ſhall ſwing Seconds
" each Vibration.

But foraſmuch as the different Size of the Ball, will make ſome difference in the Length of this Standard Pendulum, therefore to make this Pend. an *Univerſal Meaſure*, to fit all Places and Ages, you muſt meaſure from the Point of Suſpenſion,

Suſpenſion, to the Center of Oſcillation. Which Center is found by this Rule, As the Length of the String from the Point of Suſpenſion to the Center of a round Ball: is to the Semi-diameter of that Ball:: So is that Semi-diameter: to a 4th Number. Add two 5ths of that 4th Number, to the former Length, and you have the Center of Oſcillation; and thereby the true Length of this *Standard Pendulum.* *Hugenius ubi ſupra* p. 141. Sir *J. Moor* Ibid.

If it be deſired to fit a Ball of a Triangular, Quadrangular, or any other Form to this Pend. the Center of Oſcillation in any of theſe Bodies may be found in the laſt cited Book of Mr. *Huygens.*

If it be asked, What is the Meaning of the Center of Oſcillation; the moſt intelligible Anſwer I can give an unskilful Reader is, That it is that Point of the Ball, at which if you imagine it divided into two Parts, by a Circle, whoſe Center is in the Point of Suſpenſion, the Lower-part of the Ball ſhall be of the ſame Weight with the Upper.

§ 4. Having thus fixed a Standard, I ſhall next ſhew how from thence to find the Vibrations, or Lengths of all other Pendulums. Which is done by this Rule, *The Squares of the Vibrations, bear the ſame Proportion to each other, as their Lengths do.* And ſo contrarywiſe. Wherefore by the Number of Vibrations Hugen. Moor. *ib.*

to find the Length of the Pendulum that will vibrate them, ſay, as the Square of thoſe Vibrations, is to the Square of 60 (the Vibration of the Standard in a Minute) : : So is the Length of the Standard (*viz.* 39,2:) to the Length of the Pendulum ſought.

If by the Length, you will find the Vibrations, it is the Reverſe of the laſt Rule, *viz.* As the Length propoſed : to the Standard (39,2) : : So is the Square of 60 (the Vibrations of the Standard): to the Square of the Vibrations ſought.

Suppoſe for Example, you would know of what Length a Pend. is of, that Vibrates 153 Strokes in a Minute. The Square of 153 (*i. e.* 153 Times 153) is 23409. Say 23409. 3600 : : 392. 6. A Pend. then that vibrates 153 in a Minute, is about 6 Inches Long.

On the other Hand, if you would know how many Strokes a Pend. of 6 Inches hath in a Minute; ſay 6. 39,2 : : 3600. 23520. The Square-root whereof is 153, and ſomewhat more.

Note, becauſe 141120 is always the Product of the two Middle-Terms multiplied together, therefore you need only to divide this Number by the Square of the Vibrations, it gives the Length ſought: By the Length, it gives the Square of the Vibrations.

If you operate by the Logarithms, you

you will much contract your Labour. For if you ſeek the Length, it is but ſubſtracting the Logarithm of the Square of the Vibrations, out of the Logarithm of 141120, which is 5. 1495886, and the Remainder is the Logarithm of the Length ſought.

If you ſeek the Vibrations, it is but Subſtracting out of the aforeſaid Logarithm 5. 1495886, the Logarithm of the Length given, and Half the Reſidue is the Logarithm of the Vibrations required. The following Examples will illuſtrate each Particular.

To find the Length.

	Logarithms.
141120	5. 1945886
153 ſquared is 23409 or (which is the ſame Thing, and moſt ready) its Logarithm doubled is	4. 3693828
Length is more than 6	0. 7802058

To find the Vibrations.

	Logarithms.
141120	5. 1495886
6 Inches long	0. 7781512
Square of the Vibr.	4. 3714374
Square root, or numb. of Vibr. is 153, and ſomewhat more.	2. 1857187

According to the foregoing Directions, I have calculated the following Table, to Pendulums of various Lengths, and have therein shewed the Vibrations in a Minute and an Hour, from 1 to 100 Inches.

A Table of Swings in a Minute, and in an Hour, to Pendulums of several Lengths.

Pend. length in Inches	Vibrat. in a Minute	Vibrat. in an Hour.	Pend. length in Inches	Vibrat. in a Minute	Vibrat. in an Hour
1	375,7	22542	30	68,6	4116
2	265,6	15936			
3	218,9	13014	39,2	60,0	3600
4	187,8	11268			
5	168,0	10080	40	59,4	3564
6	153,3	9204	50	53,1	3186
7	142,0	8520	60	48,5	2910
8	132,8	7968	70	44,9	2694
9	125,2	7512	80	42,0	2520
10	118,8	7128	90	39,6	2376
20	84,0	5040	100	37,5	2250

The Use of this Table is manifest, and needs no Explication. As to the Decimals in the Column of Minute-Swings, I have added them for the sake of calculating the Column of Hour-Swings; which would have been judged false

falſe without them, and would not have been exactly True without them.

§ 5. I have but one Thing more to add to this Chap. of Pendulums, and that is, *To Correct their Motion.*

The uſual Way is, to ſcrew up, or let down the Ball. In doing of which, a ſmall Alteration will make a conſiderable Variation of Time: as you will find by Calculation, according to the laſt Paragraph. To prevent the Inconvenience of ſcrewing the Ball too high, or low, Mr. *Smith* hath contrived a Table for dividing the Nut of a Pendulum Screw, ſo as to alter your Clock but a Second in a Day. But by Reaſon no Screw and Nut can be ſo made, as to be moſt exactly ſtraight and true, therefore it may happen, that inſtead of altering your Watch to your Mind, you may do quite contrary; as inſtead of letting the Ball down, you may raiſe it higher, by the falſe running of the Nut upon the Screw. *Horol. Diſquiſ.*

Conſidering this irremediable Inconvenience, I am of Opinion, that Mr. *Huygens's* way is much Better. His way is, to have a ſmall Weight or Bob, to ſlide up and down the Pend. Rod, above the Ball (which is immoveable.) But I would rather Adviſe, that the Ball be made to Screw up and down, to bring the Pend. pretty near its Gauge: and *De Centro Oſcil. Prop.* 23.

that this little Bob ſhould ſerve only for more nice Corrections; as the Alteration of a Second, or *&c.* Which it will do better than the great Ball. For a whole Turn of this little Bob, will not affect the Motion of the Pend. ſo much as a ſmall Alteration of the Great Ball.

The Directions Mr. *Huygens* gives about this little Corrector, is, that it ſhould be Equal to the Weight of the Wire, or Rod of the Pend. or about a 5th Part of the Weight of the Great Ball, which he Appoints to be Three-pounds.

If the Reader hath a Mind to ſee what Alterations the ſliding the Bob up and down will make in the Motion of the Pendulum, he may find a Table ingeniouſly calculated in the great Man's laſt cited Book. In which Table it may be obſerved, that a ſmall Alteration of the Corrector towards the Lower-end of the Pend. doth make as great an Alteration of Time, as a greater raiſing or falling of it, doth make Higher. Thus the little Bob raiſed 7 Diviſions of the Rod, from the Center of Oſcillation, will alter the Watch 15 Seconds; raiſed 15,2 'twill alter it 30'. But whereas if it be raiſed to 154,3 Parts of the Rod, it will make the Watch go Faſter 3 Minutes. 15 Seconds, the Watch ſhall be but 3' 30" Faſter, if the Bob be raiſed

raiſed to 192. 6. So that here you have but 15″ Variation, by raiſing the Bob above 38 Parts; whereas Lower, you had the ſame Variation, when raiſed not above 7 or 8 Parts.

But I have found it to be a very commodious way, to put a ſmall Bob of about 10 Ounces underneath the great Ball, (which is of 3, 4, or more Pounds Weight) to be ſcrewed Higher or Lower, as Occaſion is.

The Uſe of this little Ball, or *Corrector* is this; when you have brought the great Ball near its true Length, ſo that the Pendulum will keep Time pretty well, the Little Ball will bring it to a much greater Exactneſs, by Reaſon many of its Turns will no more influence the Motion of the Pendulum, than the ſmalleſt Alteration of the great Ball: So That if your Clock ſhould in a Week, or a longer Time, err but a few Seconds, you may by ſcrewing up, or letting down this Bob, or little Ball, *Fig.* 1. Nr. 4. correct even that minute Errour, and ſo bring your Clock to keep Time well all the Year, abating for the Alterations from Weather, *&c.* which I ſpake of.

If the Reader ſhould have a Curioſity to know what Alterations the ſcrewing up, or letting down the Great-Ball will Cauſe in 24 Hours of the Clock's going, this Table I calculated on purpoſe to ſhew him. Which will need but little Explication.

Pendul. Length.		Variation of Vibr.	
In.	Ten.	Min.	Sec
38	0	22	33
38	1	20	38
38	2	18	43
38	3	16	48
38	4	14	55
38	5	13	2
38	6	11	9
38	7	9	16
38	8	7	25
38	9	5	32
39	0	3	42
39	1	1	51
39	2	00	00
39	3	1	50
39	4	3.	40
39	5	5	29
39	6	7	19
39	7	9	7
39	8	10	57
39	9	12	42
40	0	14	29

Faster. Slower.

Suppoſing your Pendulum that vibrates Seconds to be 39 Inches and 2 Tenths, if you ſhould ſhorten it to 39 Inches, it would go 3′. 42″ Faſter than before: But if you ſhould lengthen it to 39 Inches, 3 Tenths, it would go 1′. 50″ ſlower. And ſo for the Reſt of the Table.

If then the Great-Ball ſlides on a flat Piece of Braſs divided into Inches and Tenths, it will be eaſy to diſcern what Alterations will be cauſed by the raiſing or falling of it.

CHAP. VI.

The Antiquity, and general Hiſtory of Watch, or Clock-work.

§ 1. IT is probable, that in all Ages, ſome Inſtruments or other have been uſed, for the meaſuring of Time. But

But the earlieſt we read of, is the *Dial* of *Ahaz*. Concerning which, little of certainty can be ſaid. The *Hebrew* Word *Maʒaloth* doth properly ſignify Degrees, Steps, or Stairs, by which we aſcend to any Place. And ſo this Word *Maʒaloth* is rendered *Ezek.* 40. 26. And accordingly the LXXII tranſlate the *Maʒaloth* of *Ahaz*, by the Words Βαθμὸς and Ἀναβαθμὸς, *i. e. Steps* or *Aſcents*. The like doth the *Syriack*, *Arabick*, and other Verſions. 2 *King* 20. 11. *Iſai.* 38. 8.

Some pretend to give a Deſcription of this *Dial* of *Ahaz*: but it being meer Gueſſing, and little to my Purpoſe, I ſhall not trouble the Reader with the various Opinions about it.

Among the *Greeks* and *Romans*, there were two Ways chiefly uſed to meaſure their Hours. One was by *Clepſydræ*, or Hour-glaſſes. The other by the *Solaria* or Sun-dials. The Κλεψύδρα, ſay *Suidas* and *Phavorinus*, was Ὄργανον ἀστρολογικὸν ᾧ ἐπὶ ἴσαις ὥραις μετροῦν; *i. e. An Aſtronomical Inſtrument, by which the Hours were meaſured.* Alſo, *that it was a Veſſel, having a little Hole in the Bottom which was ſet in the Courts of Judicature, full of Water; by which the Lawyers pleaded.* This was, ſays *Phavorinus*, to prevent Babbling, that ſuch as ſpeak, ought to be Brief in their Speeches. *Lexic. in verbo* ὥραι. *In verbo* κλεψύδρα.

As to the Invention of thoſe Water-watches (which were, no doubt, of more

more common Uſe, than only in the Law-Courts) the Invention, I ſay of them, is attributed, by *Cenſorinus*, to *P. Cornelius Naſica*, the *Cenſor*. *Scipio Naſica*, *Pliny* calls him, and ſaith, *Primus aquâ diviſit Horas æquè noctium ac dierum. Idq; Horologium ſub tecto dicavit anno Urbis 595. i.e. Scipio Naſica was the firſt that by Water meaſured the Hours of the Night as well as the Day. And that Clock he dedicated within Doors in the Year U. C. 595.* which Time fell in about the Time of *Judas Maccabæus*, about 150 Years before our Bleſſed Saviour's Days.

De die Na. l. c. 23.

The other Way of Meaſuring the Hours, *viz.* with *Sun-dials*, ſeems, from *Pliny* and *Cenſorinus*, to have been an earlier invention than the Laſt. *Pliny* ſays, that "*Anaximenes Mileſius*, the Scholar of "*Anaximander*, invented Dialing, and "was the firſt that ſhewed a Sun-dial "at *Lacedæmon*. *Vitruvius* calls him *Mileſius Anaximander*. This *Anaximander* or *Anaximenes* was cotemporary with *Pythagoras*, ſays *Laertius*; and flouriſhed about the Time of the Prophet *Daniel*.

Nat. Hiſt. l. 2. c. 76.

De Archit. l. 6. c. 48.

But enough of theſe antient Time-Engines, which are not very much to my Purpoſe, being not Pieces of Watch-work.

§ 2. I ſhall in the next Place take Notice of a few Horological Machines, that I have met with; which whether

Pieces

Pieces of Clock-work, or not, I leave to the Reader's Judgement.

The first is that of *Dionysius*, which *Plutarch* commends for a very magnificent, and illustrious Piece. But this might be only a well delineated Sun-Dial. In the Life of *Dion.*

Another Piece, is that of *Sapor* King of *Persia.* Whether that *Sapor*, who was cotemporary with *Constantine the Great*, I know not. *Cardan* saith it was made of Glass; that the King could sit in the Middle of it, and see its Stars Rise and Set. But not finding whether this Sphere was moved by Clock-work, or whether it had any regular Motion, I shall say no more concerning it. *Euseb. Vit. Const.* l. 3. *De Subtil.* l. 17.

The last Machine I shall mention in this Paragraph, is one I find described by *Vitruvius.* Which to me seems to be a Piece of Watch-Work, moved by an Equal influx of Water. *De Architect.* l. 9.

If the Reader will consult the *French* Edition of *Vitruvius*, he will find there a fair Cut of it.

Among divers Feats which this Machine performed (as sounding Trumpets, throwing Stones, *&c.*) one use of it was, to show the Hours (which were unequal in that Age) through every Month of the Year. The Words of *Vitruvius* are, *Æqualiter influens aqua sublevat Scaphum inversum (quod ab artificibus Phellos*

Phellos ſive Tympanum dicitur) in quo collocata regula, verſatilia tympana denticulis æqualibus ſunt perfecta. Qui denticuli alius alium impellentes, verſationes modicas faciunt, ac motiones. Item aliæ Regulæ, aliaque Tympana ad eundem modum dentata, quæ una motione coacta, verſando faciunt effectus, varietateſque motionum: in quibus moventur Sigilla, vertuntur Metæ, Calculi aut Tona projiciuntur, Buccinæ canunt, &c. *In his etiam, aut in columna, aut paraſtatica Horæ deſcribuntur; quas Sigillum egrediens ab imo virgulæ, ſignificat, in diem totum: quarum brevitates aut creſcentias, cuneorum adjectus aut exemptus, in ſingulis diebus & menſibus, perficere cogit.*

The Inventor of this famous Machine, *Vitruvius* ſays, was one *Cteſibius*, a Barber's Son of *Alexandria*. Which *Cteſibius* flouriſhed under *Ptolomy Euergetes*, ſays *Athenæus*, l. 4. And if ſo, he lived about 140 Years before our Saviour's Days; and might be cotemporary with *Archimedes*.

Vid. *Philand. not. in Vitruv.*

§ 3. Thus having given a ſmall Account of the ancient Ways of meaſuring Time, it is Time to come cloſer to our Buſineſs, and ſay ſomething more particularly of Watch and Clock-work. Which is thought to be a much younger Invention, than the forementioned Pieces; and to have had its Beginning in *Germany*, within leſs than theſe 200 Years. It

is

is very probable, that our Ballance-clocks or Watches, and ſome other *Automata*, might have their Beginning there; or that Watch and Clock-work (which had long been buried in Oblivion) might be revived there. But that Watch and Clock-work was the Invention of that Age purely, I utterly deny; having (beſides what goes before) two Inſtances to the contrary, of much earlier Date.

§ 4. The firſt Example is the *Sphere* of *Archimedes*; who lived about 200 Years before our Saviour's Days. There is no Mention of this Sphere in *Archimedes* his extant Works: but we have an Account of it in Others. *Cicero* ſpeaks of it more than once. In his 2d Book *De Natura Deorum*, are theſe Words; "*Archimedem arbitrantur plus valuiſſe in* "*imitandis Sphæræ converſionibus, quam* "*Naturam in efficiendis*, &c. *i. e. Thoſe fooliſh Philoſophers imagine, that* Archimedes *was able to do more in imitating the Motions of the Sphere, than Nature in effecting of them.* And in his *Tuſculane* Queſtions, the Collocutor, proving the Soul to be of a Divine Nature, argues from this Contrivance of *Archimedes*, and ſays, *Nam cum Archimedes Lunæ, Solis, quinque errantium motus in Sphæram illigavit, effecit.* &c. The Senſe is, that *Archimedes* contrived a Sphere, which ſhewed the Motion of the Moon, Sun, and five Planets. Lib. 1. 25. *Edit. Elzevir.*

But

Epigr. in Spher. Archimed.

But the most accurate Description is that of *Claudian*, in these Words.

Jupiter in parvo cum cerneret æthera vitro,
Risit, & ad Superos talia dicta dedit:
Huccine mortalis progressa potentia curæ?
Jam meus in fragili luditur orbe labor.
Jura poli, rerumque fidem, legesque Deorum
Ecce Syracusius transtulit arte Senex.
Inclusus variis famulatur Spiritus astris,
Et vivum certis motibus urget opus.
Percurrit proprium mentitus Signifer annum:
Et simulata novo Cynthia mense redit.
Jamque suum volvens audax industria mundum
Gaudet, & humana Sidera mente regit.
Quid falso insontem tonitru Salmonea miror?
Æmula Naturæ parva reperta manus.

In English thus:

When Jove *espy'd in Glass his Heavens made,*
He smil'd, and to the other Gods thus said:
'Tis strange that human Art so far proceeds,
To ape in brittle Orbs my greatest Deeds.
The heavenly Motions, Nature's constant Course,
Lo! here old Archimede *to Art transfers.*
Th' inclosed Spirit here each Star doth drive;
And to the living Work sure Motions give.
The Sun in counterfeit his Year doth run,
And Cynthia *too her monthly Circle turn.*
Since now bold Man hath Worlds of's own de-
(scry'd
He joys, and th' Stars by human Art can guide.

Why

Why ſhould we ſo admire proud Salmons [*cheats,*
When one poor Hand Nature's chief Work re- [*peats?*

From this Deſcription it appeareth, that in this Sphere, the Sun, Moon and other Heavenly Bodies, had their proper Motion: and that this Motion was effected by ſome encloſed *Spirit*. What this *encloſed Spirit* was, I cannot tell, but ſuppoſe it to be Weights or Springs, with Wheels or Pullies, or ſome ſuch means of Clock-work: Which being hidden from vulgar Eyes, might be taken (at leaſt in a poetical Way) for ſome Angel, Spirit, or Divine Power; unleſs by Spirit here, you underſtand ſome aerious, ſubtiliz'd Liquor; or Vapours. But how this, or indeed any thing but Clock-work, could give ſuch time and regular Motions, I am not able to gueſs.

§ 5. The next Inſtance I have met with of antient Clock-work, is that famous one in *Cicero*, which, among other irrefragable Arguments is brought in to prove, "That there is ſome intelligent, divine, and wiſe Being, "that inhabiteth, ruleth in, and is as "an Architect of ſo great a Work, as "the World is, as the Stoick expreſſeth "himſelf." His words (ſo far as they relate to my preſent Purpoſe) are theſe: *De Nat. Deor.* Lib. 2. § 34.

"*Cum*

" *Cum Solarium vel deſcriptum, aut ex* " *Aqua contemplere, intelligere declarari* " *horas arte, non caſu*, &c." And a little after, *Quod ſi in Scythiam, aut in Britanniam, Sphæram aliquis tulerit hanc, quam nuper familiaris noſter effecit Poſidonius, cujus ſingulæ Converſiones idem efficiunt in Sole, & in Luna, & in quinque Stellis errantibus quod efficitur in cælo ſingulis diebus, & noctibus; quis in illa barbarie dubitet, quin ea Sphæra ſit perfecta ratione?* The Summ of the Author's meaning is, " That there " were *Sun-dials* deſcribed, or drawn " [with Lines, after the Manner as our " Sun-dials are:] and ſome made with " Water (which were the *Clepſydræ*, " or Hour-glaſſes, before-mentioned.) " That *Poſidonius* had lately contrived a " Sphere, whoſe Motions were the ſame " in the Sun, Moon, and 5 Planets in " the Sphere, as were performed in the " Heavens each Day and Night."

The Age wherein this Sphere was invented, was *Cicero's* Time, which was about 80 Years before our Saviour's Birth.

And that it was a Piece of *Clock-work*, is not (I think) to be doubted, if it be conſidered, that it kept Time with thoſe Celeſtial Bodies, imitating both their annual, and diurnal Motions; as from the Deſcription we may gather it did.

It may be queſtioned, whether thoſe Machines were common or not: I believe

lieve they were Rarities then, as well as Mr. *Watſon's* and Others are accounted now. But methinks it is hard to imagine, that ſo uſeful an Invention ſhould not be reduced into common Uſe; it being Natural, and eaſie to apply it to the meaſuring of Hours (tho' unequal) eſpecially in two ſuch Ages, as thoſe of *Archimedes* and *Tully* were, in which the liberal Arts ſo greatly flouriſhed.

§ 6. After the Times laſt mentioned, *Barbariſm* came on, and Arts and Sciences became neglected, ſo that little worth Remark is to be found till towards the 16th Century; and then Clock-work was revived, or wholly invented anew in *Germany*, as is generally thought, becauſe the antient Pieces are *German* Work. But who was the Inventor, or in what Time, I cannot diſcover. Some think *Sever. Boethius* invented it long before about the Year 510.

But if it was not ſo early as *Boethius*, it might perhaps be in *Regiomantanus* his Time, towards the Latter-end of the 14th Century. However it is very manifeſt, it was before *Cardan's* Time, becauſe he ſpeaketh of it, as a Thing common then. And He lived about 170 Years ſince. And at this very Day, there is a Stately Clock in his Majeſties Palace at *Hampton-Court*, whoſe Inſcription ſhews it to have been made in *K. Henry*

Molyneaux, Scioth. Teleſcop. Ep. Dedic.

Hen. VIII's Time by one *N. O.* in the Year 1540; which for its Antiquity and good Contrivance I have given the Calliper of in Fig. 4, and ſhall ſay more of in Chap. 10.

Another Piece alſo I Remember I ſaw ſome Years ago, which was a Watch belonging to the ſame K. *Hen.* VIIIth, which went a Week. Probably it might be made by the ſame *N. O.*

§ 7. As to thoſe curious Contrivances in Clock-work, which perform ſtrange, ſurprizing Feats, I ſhall ſay little. Dr. *Heylin* tells us of a Famous Clock and Dial in the Cathedral Church of *Lunden* in *Denmark*. " In " the Dial (ſaith he) are to be ſeen " diſtinctly the Year, Month, Week-" day, and Hour of every Day through-" out the Year; with the Feaſts, " both moveable and fixed; together " with the Motion of the Sun and " Moon, and their Paſſages thro' each " Degree of the *Zodiack*. Then for " the Clock, it is ſo framed by artifi-" cial Engines, that whenſoever it is " to ſtrike, two Horſe-men encounter " one another, giving as many Blows " apiece, as the Bell ſounds Hours: " And on the opening of a Door, there " appeareth a Theatre, the Virgin " *Mary* on a Throne, with Chriſt in " her Arms, and the three Kings or " *Magi*

Heylin's *Coſmog.* l. 2.

" *Magi* (with their several Trains) " marching in Order, doing humble " Reverence, and presenting severally " their Gifts, two Trumpeters sound- " ing all the while, to adorn the Pomp " of that Procession."

To this I might add many more such curious Performances; but I rather chuse to refer the Reader to *Schottus*, where he may find a great Variety, to please him. *Magia Univers. P. 1. Proleg. & Magia Thaumaturg.*

CHAP. VII.

Of the Invention of Pendulum-Clocks.

§ 1. BEfore ever *Pendulums* were applied to *Watch-Work*, their Motion was made Use of for the more accurate measuring of Time in Observations, particularly such as were Astronomical. The Famous *Tycho Brahe* is supposed to have made use of Them; but *Sturmius* saith, *Ricciolus primùm Pendula adhibuit ad tempora mensuranda. Eumq; secuti (etiamsi conatuum ejus ignari) Langrenus, Vendelinus, Mersennus, Kircherus, & alii quamplurimi. Automatis Horologiis applicavit Hugenius.* i. e. *Riccioli first made use of Pendulums*

Pendulums to measure Time: Whom Langrene, Wendeline, Mersenne, Kircher, and many others followed, although they were ignorant of his Practice. But Huygens *applied them to Clocks.* Sturm. Colleg. Curiof. P. 1. Tent. 14.

And notwithstanding Divers have pretended to the Invention, yet Mr. *Christian Huygens* of *Zulichem* affirms he was the First that applied Pendulums to Clock-work, and gives very cogent Reasons for it.

Hor. Oscil. p 3. Edit. Paris. This excellent Invention, he says, he put first in Practice in the Year 1657: and in the following Year 1658, he printed a Delineation and Description of it.

Among them that have claimed the Honour of this Invention, the great *Galilæo* hath the most to be said on his Side. Dr. *John Joachim Becher* (who printed a Book when he was in *England*, entituled, *De Nova Temporis dimetiendi ratione Theoria*, &c. which he didicated to the *English* Royal Society, *Anno* 1680.) he, I say, tells us, " That the *Count Magalotti* " (the Great Duke of *Tuscany's* Resident " at the Emperor's Court) told him the " whole History of these Pendulum " Clocks, and denied Mr. *Zulichem* to " be the Author of them. Also That " one *Treffler* (Clock-maker to the Fa- " ther of the then G. Duke of *Tuscany*) related

" related to him the like Hiſtory: And " ſaid moreover, that he had made the " firſt Pend. Clock, at *Florence*, by the " command of the Great Duke, and by " the Directions of his Mathematician " *Galileus a Galilæo*; a Pattern of which " was brought into *Holland*. And fur- " ther he ſaith, that one *Caſpar Doms*, " a *Fleming*, and Mathematician to " *John Philip a Schonborn* (the late E- " lector of *Mentz*) told him that he " had ſeen at *Prague*, in the Time of " *Rudolphus* the Emperor, a Pend. " Clock, made by the Famous *Juſtus* " *Borgen*, Mechanick and Clock-ma- " ker to the Emperor: which Clock " the great *Tycho-Brahe* uſed in his " Aſtronomical Obſervations. "

Thus far *Becher*. To which I may add, what is ſaid by the *Acadamie del Cimento*, *viz.* " It was thought good to apply " the Pendulum to the Movement of " the Clock: a Thing which *Galilæo* " firſt invented, and his Son *Vincenzio Ga-* " *lilei* put in Practice in the Year 1649.

Exper. made in the Acad. *del Cimento* tranſl by Mr. *Waller*. p. 12.

As to theſe Matters thus related by hearſay by *Becher*, and ſo expreſsly affirmed by the Academy, I have little to reply, but that Mr. *Huygens* (whom I take to have been a Man of as great Integrity, as Learning and Ingenuity) does expreſsly ſay, He was the Inventer, and that if *Galilæo* ever thought of any

Hugen. *ib.*

any ſuch Thing, he never brought it to any Perfection. It is certain, that this Invention never flouriſhed till Mr. *Huygens* ſet it Abroad.

§ 2. After Mr. *Huygens* had thus invented theſe Pendulum Watches, and cauſed ſeveral to be made in *Holland*, Mr. *Fromantil*, a *Dutch* Clock-maker, came over into *England*, and made the Firſt that ever were made here; which was about the Year 1662. One of the firſt Pieces that was made in *England*, is now in *Greſham-Colledge*, given to that Honourable Society by the late eminent *Seth*, Lord Biſhop of *Salisbury*: which is made exactly according to Mr. *Huygens's* Method.

§ 3. For ſeveral Years this way of Mr. *Huygens* was the only Method, *viz.* Crown-wheel Pendulums, to play between two cycloidal Cheeks, *&c.* But afterwards Mr. *W. Clement*, a *London* Clock-maker, contrived them (as Mr. *Smith* ſaith) to go with leſs Weight, an heavier Ball (if you pleaſe) and to Vibrate but a ſmall Compaſs. Which is now the univerſal Method of the Royal Pendulums. But Dr. *Hook* denies Mr. *Clement* to have invented this; and ſays that it was his Invention, and that he cauſed a Piece of this Nature to be made, which he ſhewed before the

Horolog. Diſquiſ. p. 3.

R. Society, ſoon after the Fire of *London*.

§ 4. The Uſe of theſe Pendulum Clocks Mr. *Huygens* ſetteth forth in ſeveral Inſtances. Particularly; he giveth two Examples of their great Uſe at Sea, in diſcovering the Difference of Meridians, more exactly than any other Way: which he deduceth from the Obſervations of an *Engliſh*, and *French* Ship.

On Land, they were found very ſerviceable; among other Uſes, particularly to theſe Two. 1. To meaſure the Time more exactly, and equally than the Sun. 2. To be (as Sir *Chriſtopher Wren* firſt propoſed) a perpetual, and univerſal Meaſure, or Standard, to which all Lengths may be reduced, and by which they may be judged of, in all Ages, and Countries. For (as our *Royal Society*, Mr. *Huygens*, and *Mountonus* have propoſed, after Sir *Chriſtopher Wren*) this *Horary foot*, or *Tripedal* length, which vibrateth Seconds, will fit all Ages and Places. But then Reſpect muſt be had to the Center of Oſcillation, which you have an Account of in Mr. *Huygens* his aforeſaid Book *de Horologio Oſcillatorio*, as hath before been ſaid.

§ 5. There is one Contrivance more of Pendulums, ſtill behind, *viz.* the

Circular Pendulum; which is mentioned by Mr. *Huygens* as his own, but is claimed by the late moſt ingenious Dr. *Hook* as really his. This Pend. doth not vibrate backward and forward, as thoſe we have been ſpeaking of do; but always round Round; the String being ſuſpended above, at the tripedal Length, and the Ball fixed below, as ſuppoſe at the End of the Fly of a common Jack.

The Motion of this Circular Pend. is as regular, and much the ſame with thoſe mentioned before: and was thus far made very uſeful in Aſtronomical Obſervations, by the ſaid Dr. *Hook*, *viz.* To give warning at any Moment of its Circumgyration, either when it had turned but a Quarter, Half, or any leſſer, or greater Part of its Circle. So that here you had Notice not only of a Second, but of the moſt minute Part of a Second of Time. You may find a Deſcription of this Pendulum, and other Matters belonging to it, in Dr. *Hook's Lectiones Cutlerianæ: Animad. in Hevelii Mach. Cæleſt.* p. 60.

CHAP.

CHAP. VIII.

Of the Invention of those Pocket-Watches, commonly called Pendulum-Watches.

§ 1. THE Reason they are called *Pendulum-Watches*, is from the Regularity of their Strokes, and Motion, which were pretended to be not inferiour to those of a real Pendulum. This exactness is effected by the Government of a small Spiral Spring running Round the Upper-part of the Verge of the Ballance: which Spring I call the *Regulator*.

§ 2. The first Inventor hereof, was that ingenious and learned Member of our *R. Society*, the late Dr. *Hook*: who contrived various Ways of Regulation. One Way was with a Load-stone: another was with a tender straight Spring, one End whereof played backward and forward with the Balance. So that the Balance was to the Spring, as the Bob of a Pendulum, and the little Spring, as the Rod thereof. And several other Contrivances he had besides of this Nature, as he assured me, and is manifest from divers Evidences.

§ 3. But the Invention which beſt anſwered Expectation, was at firſt, with two Balances: of which I have ſeen two Sorts, altho' there were ſeveral others. One Way was without Spiral Springs, the other with. They both agreed in this, that the outward Rims of both the Balances had a like Number of Teeth; which running in each other, cauſed each Balance to vibrate alike.

But as to the former of theſe, which had no Spiral Spring; the Verges of its Balance had each but one Pallet apiece, about the Middle of the Verge. The Crown-wheel lay (contrary to others) reverſed, in the middle of the Watch, in the Place, and after the Manner of the Contrate-wheel. The Teeth of this Crown-wheel, were cut after the Manner of Contrate-wheel Teeth, *viz.* lying upwards, but very wide apart, ſo as that the Pallets (which were about one Tenth of an Inch long, and narrow) might play in and out between each Tooth. The Verges of the two Balances, were ſet one on one Side, the other on the other Side of the Crown-wheel, ſo that the Pallets might play freely in its Teeth. And when the Crown-wheel in moving round, had delivered its ſelf of one Pallet, the other Pallet on the oppoſite Side, was drawn on to make its Beats, by means of

of the Motion which the other Balance had given its Balance, (the two Balances moving one another, as hath been ſaid in the Beginning of this Paragraph.) And ſo the ſame back again.

It may here be noted, That for the more clear Underſtanding of the laſt Contrivance, I have deſcribed the two Balances, as having Teeth on the edges of their Rims, running in one another. But the Contrivance was really thus; there was a ſmall Wheel under each Balance, proportioned to the Width of the Crown-wheel. But the Balances were much larger. And ſo the Teeth of theſe two little foreſaid Wheels or Balances, running in one another, moved the larger Balances above them, all one, as if theſe two great Balances had been toothed and played in each other.

§. 4. The other Way, with two Balances alſo, moving each other (as was ſaid in the Beginning of the laſt §) had a Spiral Spring to each Balance, for its Regulator. In this Invention, only one Balance had the Pallets, as the common Balances have: And the Crown-wheel operated upon it, according to the uſual Way. But then when this Balance vibrateth, it giveth the ſame Motion backward and forward to the other Balance, as hath been ſaid.

The First of these two Ways was never prosecuted so far, as perhaps it deserved. And the Excellency of the latter is, that no jirk, or the most confused Shake, can in the least alter its Vibrations. Which it will do in the best Pendulum Watch with one Balance now commonly used. For if you lay one of these Watches upon a Table, and by the Pendent jirk it backward and forward, you will put it into the greatest Hurry; whereas the last-mentioned Watch, with two Balances, will be nothing affected with it. But notwithstanding this Inconvenience, yet the Watch with one Balance and one Spring (which was also Dr. *Hook's* Invention) prevailed, and grew common, being now the universal Mode: but of the other very few were ever made. The Reason hereof, I judge was the great Trouble and vast Niceness required in it, and perhaps a little Foulness in the Balance-Teeth may retard the Motion of the Balances. But the other is easier made, and performeth well enough, and in a Pocket is scarce Subject to the aforesaid Disorder, which is caused rather by a Turn, than a Shake.

§ 5. The Time of these Inventions was about the Year 1658, as appears: (among other Evidence) from this In-

scription,

ſcription, which I ſaw upon one of the aforeſaid double Balance-Watches preſented to King *Charles* II. *viz. Robert, Hook inven.* 1658. *T. Tompion fecit* 1675.

This Watch was wonderfully approved of by the King; and ſo the Invention grew into Reputation, and was much talked of at Home and Abroad. Particularly its Fame flew into *France*, from whence the *Dauphine* ſent for two; which that eminent Artiſt Mr. *Tompion* made for him.

§ 6. Dr. *Hook* had long before this, cauſed ſeveral Pieces of this Nature to be made, although they did not take till after 1675. However he had before ſo far proceeded herein, as to have a Patent (drawn, though not ſealed) for theſe and ſome other Contrivances, about Watches, in the Year 1660. But the Reaſon why that Patent did no further proceed, was ſome Diſagreement about ſome Articles in it, with ſome Noble Perſons who were concerned for the procuring it. The ſame ingenious *Dr.* had alſo a grant for a Patent for this laſt Way of Spring Watches in the Year 1675: but he omitted the taking it out, as thinking it not worth the while.

§ 7. After theſe Inventions of Dr. *Hook*, and (no doubt) after the Publication of Mr. *Huygens's* Book *de Horolog. Oſcil.*

Oscil. at *Paris* 1673 (for there is not a Word of this, though of several other Contrivances) after this I say, Mr. *Huygens's* Watch with a Spiral Spring came Abroad and made a great Noise in *England*, as if the Longitude could be now found. One of these the Lord *Bruncker* sent for out of *France*, (where Mr. *Huygens* had a Patent for them) which I have seen.

This Watch of Mr. *Huygens's* agreed with Dr. *Hook's*, in the Application of the Spring to the Balance: only Mr. *Huygens's* had a longer Spiral Spring, and the Pulses or Beats were much slower. That wherein it differs, is 1. The Verge hath a Pinion instead of Pallets; and a Contrate-wheel runs therein, and drives it round, more than one Turn. 2. The Pallets are on the Arbour of this Contrate-wheel. 3. Then followeth the Crown-wheel, *&c.* 4. The Balance, instead of turning scarce quite round (as Dr. *Hook's*) doth turn several Rounds every Vibration.

§ 8. As to the great Abilities of Mr. *Huygens*, no Man can doubt, that is acquainted with his Performances. But I have some Reason to doubt, whether his Fancy was not first set on Work by some Intelligence, he might have of Dr. *Hook's* Invention from Mr. *Oldenburgh*, or others his Correspondents here

here in *England*, although Mr. *Oldenburgh* vindicates himſelf againſt that charge in *Phil. Tran.* Nr. 118 and 129. But of this Controverſy ſee more in Mr. *Waller's Life of* Dr. *Hook.* p. 4.

But whether or no that ingenious Perſon doth owe any Thing herein to our ingenious Dr. *Hook*, it is however a very pretty, and ingenious Contrivance; but Subject to ſome Defects: *viz.* When it ſtandeth ſtill, it will not vibrate, until it is ſet on vibrating: which though it be no Defect in a Pendulum-Clock, may be one in a Pocket-watch, which is expoſed to continual Jogs. Alſo, it doth ſomewhat vary in its Vibrations, making ſometimes longer, ſometimes ſhorter Turns, and ſo ſome ſlower, ſome quicker Vibrations.

I have ſeen ſome other Contrivances of this Sort, which I mention not, becauſe they are of a younger ſtanding. But theſe two (of Dr. *Hook* and Mr. *Huygens*) I have taken Notice of, becauſe they were the firſt that ever appeared in the World.

CHAP. IX.

The Invention of Repeating-Clocks.

1. THE *Clocks* I now shall speak of, are such as by pulling of a String, *&c.* do strike the Hour, Quarter, or Minute, at any Time of the Day and Night.

§ 2. These Clocks are a late Invention of one Mr. *Barlow*, of no longer Standing than the Latter-end of King *Charles* II, about the Year 1676.

This ingenious Contrivance (scarce so much as thought of before) soon took Air, and being talked of among the *London* Artists, set their Heads to Work; who presently contrived several Ways to effect such a Performance. And hence arose the different Ways of *Repeating-work*, which so early might be observed to be about the Town, every Man almost practising, according to his own Invention.

§ 3. This Invention was practised chiefly, if not only, in larger Movements, till King *James* II's Reign: At which Time it was transferred into Pocket-Clocks. But there being some little contest concerning the Author hereof,

hereof, I shall relate the bare Matter of Fact; leaving the Reader to his own Judgement.

About the Latter-end of King *James* II's Reign, Mr. *Barlow* (the ingenious Inventor before mentioned) contrived to put his Invention into Pocket-watches; and endeavoured (with the Lord Chief Justice *Allebone*, and some others) to get a Patent for it. And in order to it, he set Mr. *Tompion*, the Famous Artist, to work upon it: who accordingly made a Piece according to his Directions.

Mr. *Quare* (an ingenious Watch-maker in *London*) had some Years before been thinking of the like Invention: But not bringing it to Perfection, he laid by the Thoughts of it, until the Talk of Mr. *Barlow's* Patent revived his former Thoughts; which he then brought to Effect. This being known among the Watch-makers, they all pressed him to endeavour to hinder Mr. *Barlow's* Patent. And accordingly Applications were made at Court, and a Watch of each Invention, produced before the King and Council. The King upon Trial of each of them, was pleased to give the Preference to Mr. *Quare's*; of which Notice was given soon after, in the Gazette.

The

The Difference between theſe two Inventions was, Mr. *Barlow's* was made to Repeat by puſhing in two Pieces on each Side the Watch-box: One of which Repeated the Hour, the other the Quarter. Mr. *Quare's* was made to Repeat, by a Pin that Stuck out near the Pendant, which being thruſt in (as now it is done by thruſting in the Pendant) did Repeat both the Hour, and Quarter, with the ſame thruſt.

It would (I think) be very frivolous, to ſpeak of the various Contrivances, and Methods of Repeating work, and the Inventers of them; and therefore I ſhall ſay nothing of them.

CHAP. X.

Numbers for ſeveral Sorts of Movements.

ALthough I have before given ſuch plain Directions, as may, I hope, accompliſh a young Practitioner in the Art of Calculation; yet it may be very convenient to ſet down ſome Numbers fit for ſeveral Movements; partly to be as Examples to exerciſe the Young Reader: And partly, to ſerve ſuch, who want Leiſure or Underſtanding to attain to the Art of Calculation.

§ 1.

§ 1. But first it may be requisite, to shew the usual Way of Watch-makers writing down their Numbers, because it is somewhat Different from that more artificial Way which I directed to in Ch. 2, and which I have all along made Use of in this Book.

Their way representeth the Wheel and Pinion, on the same Spindle; not as they play in one another. Thus the Numbers of an old House-watch, of 12 Hours, they write down thus.

My Way:	The Watch-maker's Way.
4)48	48
7)56	56——4
6)54	54——7
19	19——6

According to my Way, the Pin. of Report [4] drives the Dial-wheel [48:] the Pinion [7] plays in the Great-wheel [56] *&c.* But according to the other Way, the Dial-wheel stands alone; the Great-wheel hath the Pinion of Report on the same Arbour: the Wheel [54] hath the Pin: [7] and the Crown-wheel [19] the Pin: [6] on the same Spindles.

This latter Way (although very inconvenient in Calculation) representeth a Piece of Work handsomely enough, and somewhat naturally.

§ 2.

§ 2. Numbers of an 8 Day Piece, with 16 Turns of the Barrel, the Pend. vibrates Seconds, and shews Minutes, Seconds, &c.

The Watch part.	The Clock part.
8)96	8)78
8)60—48)48—6)72	6)48 8 Pins.
7)56	6)48
	6)48
80	

In the Watch-part, the Wheel 60 is the Minute-wheel, which is set in the middle of the Clock, that its Spindle may go through the middle of the Dial-plate to carry the Minute-hand.

Also on this Spindle is a Wheel 48, which driveth another Wheel of 48, which last hath a Pinion 6, which driveth round the Wheel 72 in 12 Hours. Note here two Things: 1. That the two Wheels 48, are of no other Use, but to set the Pinion 6 at a convenient Distance from the Minute-wheel, to drive the Wheel 72, which is concentrical with the Minute-wheel. For a Pinion 6 driving a Wheel 72, would be sufficient, if the Minute-hand and Hour-hand had two different Centers. 2. These Numbers, 60—48)48—6)72, set thus, ought (according to the last §) be thus, read, *viz.* The Wheel 60, hath another Wheel 48 on the same Spindle; Which Wheel 48 divideth (playeth in,

or

or turns round) another Wheel 48; which hath a Pinion 6 Concentrical with it: Which Pinion driveth, or divideth a Wheel of 72. For a Line parting two Numbers (as 60——48) denoteth those two Numbers to be Concentrical, or to be placed upon the same Spindle. And when two Numbers have a Hook between them (as 48) 48) it signifies one to run in the other, as hath before been hinted.

In the Striking-part, there are 8 Pins on the Second-wheel 48. The Count-wheel may be fixed unto the Great-wheel, which goeth round once in 12 Hours.

§ 31. A Piece of 32 Days, with 16, or 12 Turns both Parts: the Watch sheweth Hours, Minutes, and Seconds; and the Pendulum vibrateth Seconds.

The Watch-part.

With 16 Turns.	With 12 Turns.
16)96	12)96
9)72	9)72
8)60--48)48--6)72	8)60--48)48-6)72
7)56	7)56
30	30

Or thus with 16 Turns.

12)72
8)64
8)60
7)56

30

The Striking-part.

With 16 Turns.	With 12 Turns.
10)130	8(128
8)96 { 24 Pins. 12)39	8)104 { 26 Pins. 8)24
6)72 Double hoop	8)96 Double hoop
6)60	8)80

The Pinion of Report is fixed on the End of the Arbour of the Pin-wheel. This Pinion in the First is 12, the Count-wheel 39; thus, 12)39. Or it may be 8)26. In the latter (with 12 Turns) it may be 6)18, or 8)24.

§ 4. *A Two Month Piece*, of 64 Days; with 16 Turns; Pend. vibrateth Seconds, and sheweth Minutes, Seconds, *&c.*

Watch-part.	Clock-part.
9)90	10)80
8)76	10)65
8)60--48)48--6)72	9)54 { 12 Pins. —8)52
7)56	5)60 Double hoop
30	5)50

Here

Here the third Wheel is the Pin-wheel, which alſo carrieth the Pinion of Report 8, driving the Count-wheel 52.

Or thus.

Watch-part.	Clock-part.
8)80	6)144
8)76	6)78 { 26 Pins. ——8)24
8)60--48)48--6)72	6)72 Double hoop
7)56	6)60
30	

§ 5. A Piece of 13 Weeks, with Pendulum, Turns, and Motions, as before.

The Watch-part.

8)96 Or Thus	6)72
8)88	6)66
8)60--48)48-6)72	6)48--48)48--6)72
7)56	6)45
30	30

The Clock-part.

8)72 Or thus.	5)145
8)64—37)30	6)90 { —30 pins —24)62
8)48—12 Pins	
6)48 Double hoop	6)72
5)40	6)60

§ 6. A *Seven Month* Piece, with Turns, Pendulum, and Motions, as before.

The

The Watch.	The Clock.
8)60	8)96
8)56	8)88——27)12
8)48	8)64——16 Pins.
6)45--48)48--6)72	6)48 Double hoop
5)40	6)48
30	

§ 7. *A Year Piece*, of 384 Days, with Turns, Pendulum, and Motions, as before.

The Watch.	The Clock.
12)108	10)120
9)72	8)96——36)9
8)64	6)78 26 Pins.
8)60--48)48--6)72	6)72 Double hoop
7)56	6)60
30	

If you had rather have the Pinion of Report, on the Spindle of the Pinwheel it must be 13)39.

§ 8. A Piece of 30 Hours, Pend. about 6 Inches.

The Watch.	The Clock.
12)48	8)48
6)78	6)78 13 Pins.
6)60	6)60
6)42	6)48
15	

§ 9. A piece of 8 Days, with 16 Turns, *Pendulum*

Pendulum about 6 Inches, to ſhew Minutes, Seconds, &c.

The Watch	The Clock may
8)96	be the ſame
8)64—48)48—6)72	with the 8 Day
8)60	Piece before,
8)40	The Seconds Wheel. § 2.

15

§ 10. A *Month Piece* of 32 Days, with Pendulum, Turns, and Motions, as the laſt.

The Watch.	The Clock may
8)64	have the ſame
8)48	Numbers, as
6)48—48)48—6)72	the Clock § 3.
6)45	
6)30 Seconds Wheel.	

15

§ 11. A *Year Piece* of 384 Days with Pendulum, Turns, &c. as the laſt.

The Watch part.

10)90	Or thus, with a Wheel leſs,
8)64	not to ſhew Minutes and Se-
7)56	conds.
6)48—48)48—6)72	8)96
6)45	6)72—36)9
6)30 Seconds Wheel.	6)66
	6)60
	6)54

15

In the latter of these two Numbers, the Pinion of report is 36, on the Second Wheel. The Dial Wheel is 9.

The *Clock-part* may have the same Numbers, as the Year-piece before § 7.

§ 12. An 8 *Day* Piece, to shew the Hour and Minute, *Pend.* about 3 *Inches* long.

6)96
8)64—6)72
7)49
6)36

The Clock may have the same Numbers, as the 8 Day-piece before § 2.

19

Automata shewing the Motion of the Celestial Bodies.

§ 1 Numbers for the Motion of the *Sun* and *Moon*. See before in Chap. 2. Sect. 5. § 3, 4.

§ 2. Numbers to shew the Revolution of the Planet *Saturn*, which consists of 10759 Days.

On the Dial-wheel.

5)69
4)52
4)48
4)40

If you would make it depend upon a Wheel going round in a Year thus, 10)59 or thus, 6)30 4)118

Note, The lowermost Pinion in these, and the following Numbers, is to be fixed concentrical to the Wheel, which is to

drive

drive the Motion, *viz.* the Dial-wheel, Year-wheel, or *&c.*

And it is further to be noted that the Dial-wheel is here ſuppoſed to move round once in 12 Hours.

§ 3. Numbers for the Planet *Jupiter*, whoſe Revolution is 4332 ½ Days. On the Dial-wheel.

4)48
4)40
4)36
4)32

Or thus, on the Year-wheel.

6)71

Note here, That the two laſt Numbers of *Saturn*, may be the two firſt of *Jupiter* alſo.

By the Permiſſion of my ingenious Friend Mr. *Flamſteed*, I here inſert a Deſcription of Mr. *Olaus Romer*, the *French* King's Mathematician's Inſtrument, to repreſent the Motion of *Jupiter's Satellites*; a Copy of which he ſent to Mr. *Flamſteed* in 1679, and is from his own Draught repreſented in Fig. 2.

Upon an Axis (which turns Round once in 7 Days) are four Wheels fixed: one of 87 Teeth, a Second of 63; the Third 42; and the Laſt 28 Teeth. On another Axis run 4 other Wheels (or Pinions you may call them) which are driven by the aforeſaid Wheels. The firſt is a Wheel, or Pinion of 22 Leaves driven by the Wheel 87, which carrieth Round the firſt Satellite. The Second

cond is 32, driven by the Wheel 63, which carrieth round the ſecond Satellite. The third hath 43 Leaves, driven by the Wheel 42, which carrieth the third Satellite. And laſtly, is the Pinion 67, driven by the Wheel 28, which carrieth round the fourth Satellite.

On the firſt Axis is an Index, that pointeth to a Circle divided into 168 Parts, which are the Hours in ſeven Days.

On the other Axis all the Pinions run concentrically, by means of their being hollow in the Middle.

But the whole Contrivance will be beſt underſtood by an Inſpection of the Figure. In which

A. B. is the Upper-plate of the Inſtrument.

C. D. The Lower-plate.

K. L. The *Axis*, or *Spindle*, on which four Wheels are fixed, and turn round with it, and with the Hand L. once in 7 Days. E. F. G. H. are the *Sockets*, or hollow *Arbours* of 4 Wheels running concentrically.

The hollow Arbour H. carrieth round the *Firſt-Satellite* p. and belongeth to the Wheel or Pinion 22, before mentioned.

The hollow Arbour G. carrieth round the *Second-Satellite* f. and belongeth to

the

the Wheel 32, which is driven by the Wheel 63. And the like of the *Arbours* F. and E.

Within all these hollow Arbors is another fixed one included, on the Top of which is the Ball (T) representing the Planet *Jupiter:* round which the *Satellites* move, represented by the little Balls p. s. t. q. Or the Spindle with the Ball (I) may be made to turn round once in 9 Hours, 56 Minutes, to shew the Motion of *Jupiter* on its own Axis.

This *Satellite-Instrument* may be added to a Clock, by causing the Great-wheel or Dial-wheel to drive round the Arbor K. L. once in 7 Days. To do which there are sufficient Directions given in the preceeding Book, and therefore needeth not to be insisted on here.

This Instrument may be of good Use to such as make Observations of the Eclipses of *Jupiter's Satellites* either by Sea or Land, to give them Notice of the Appulses of every Satellite to *Jupiter's* Shadow. For which Purpose it might be convenient to plate a Black or Blew Plate of the width of *Jupiter's* Diameter; behind which the Satellites passing, will represent the Immersions and Emersions of each Satellite and the Times when they happen.

§ 4.

4. Numbers for *Mars*, whoſe Revolution is 687 Days nearly.
On the Dial-wheel.

4)48 The two laſt Numbers of *Saturn* may be the two firſt of *Mars* alſo.
4)40
4)46

§ 5. Numbers for *Venus* whoſe Revolution is in 224½ Days.
On the Dial wheel.

4)32 *Note*, The laſt Number of *Jupiter* may be the firſt of *Venus*.
4)32
4)28

§ 6. Numbers for *Mercury*, whoſe Revolution is near 88 Days.
On the Dial-wheel.

4)64
4)44

§ 7. Numbers to repreſent the Motion of the *Dragon's Head* and *Tail*, (near 19 Years) to ſhew the *Eclipſes* of the Sun and Moon.
On the Dial-wheel. On the Year-wheel.

4)48 4)76
4)40 *Note*, the two laſt Numbers
4)44 of *Saturn* may be the two
4)42 Firſt of this on the Dial-wheel.

As to the placing theſe ſeveral Motions on the Dial-plate, I ſhall leave it wholly to the Workman's Contrivance. Only to aſſiſt him a little therein, I ſhall

ſhall, for the Rarity thereof, preſent the Reader with a ſhort Account of the *Hampton-Court Clock* before mentioned, made A. D. 1540; which ſhews the Time of the Day, and the Motion of the Sun and Moon through all the Degrees of the Zodiack, together with the Matters depending thereon; as the Day of the Month, the Sun and Moon's Place in the Zodiack, Moon's Southing, *&c.*

To ſhew how compleatly (for that Age) the Wheel-work is laid under the Moving-part of the Dial-plate, I have given the Callibre thereof in Fig. 4. which repreſents the ſeveral Wheels and Pinions only, which lye under the Dial-plate, and drive the ſeveral Motions in this Manner. In the Center of all, both the Dial-plate and its Wheel-work is placed on a fixed Arbour, which hath a Pinion of 8 on the End of it, which drives both the Solar and Lunar Motions, by means of a large Wheel of 288 Teeth turning round upon it once in 24 Hours; which large Wheel is driven round by a Pinion of 12 fixed on the Arbor of the Great-wheel within the Clock, which turneth round once in an Hour. The Wheel 288 thus turning round in 24 Hours, carries about with it the Wheel 37 and its Pinion of 7 Leaves, as alſo the other pricked Wheel, and its

Pinion, on the other ſide. The Pinion 7 of the Wheel 37 drives another Wheel of 45 Teeth, which carries round the Moon's Ring or Circle. On the oppoſite ſide the aforeſaid Pinion 8 drives round the pricked Wheel, whoſe Pinion drives a Wheel of 29 Teeth, whoſe Pinion of 12 Leaves drives round the Wheel 132 that carries the Sun round, and the Zodiacal Matters.

Theſe were the Numbers of the Wheel-work remaining in the Year 1711. But the pricked Wheel and Pinion was taken out formerly, I ſuppoſe by ſome ignorant Workman that was not able otherwiſe to amend the Clock: but were ſupplied, and the whole Movement repaired lately by that skilfull Artiſt Mr. *Lang. Bradley* in *Fanchurch-ſtreet, London.*

Numbers for Pocket-Watches.

§ 1. A Watch to go 8 *Days*, with 12 Turns, to ſhew Minutes and Seconds; the Train 16000.

6)96
6)48——12)48——12)36.
6)45 On the Wheel [42] is the Se-
6)42 conds Hand placed, and on the
19 Wheel [48] the Minute Hand.

§ 2. Another of the ſame, without Minutes and Seconds, to go with only 8 Turns.

4 20)10

20)10

6)66
6)60
5)50
5)45

19

§ 3. A Pocket-watch of 32 Hours, with 8 Turns, to ſhew Minutes and Seconds, Train as the laſt.

12)48
6)48——12)48——12)36
6)45——Seconds Hand.

19

If this Crown-wheel be too large, you may uſe theſe Numbers, *viz.*

12)48
6)48
6)45
6)48 Seconds Hand.

15

§ 4. The uſual Numbers of 30 Hours Pendulum Watches, with 8 Turns, to ſhew the Hour and Minute,

12)48
6)54——12)48——12)36
6)48
6)45

15

§ 5. The usual Numbers of the old 30 Hours Pocket-watches.

With 5 Wheels.	With 4 Wheels.
10)30	6)32
7)63	6)66
6)42	5)50
6)36	5)45
6)32	17
15	

If any of the Numbers of the preceeding Wheels and Pinions should not please the Reader, he may easily correct them to his Mind, by the Instructions in the foregoing Part of the Book. The Way in short is this: Divide the Wheel by the Pinion, and so find the Number of Turns according to the Chap. 2. Sect. 1. § 2. Multiply the Pinion you like better, by this Number of Turns, and the Product is the Wheel. Thus in the 8 Day Pocket-watch § 1, if you think the Great-wheel too large, you may make it instead of 6)96(16, thus, *viz.* 5)80 (16 : *i. e.* chusing the Pinion only 5, and multiplying it by 16 (the Turns) the Wheel will be 80.

CHAP.

CHAP. XI.

Of the Government of Chronometers, *with Tables for that and other Uſes in Watch-work.*

HAving led the Reader through moſt of the uſeful Matters relating to *Clock-Work*, to compleat him the more therein, I ſhall preſent him with ſome Inſtruments for the adjuſting his *Chronometers*, and ſome Tables that will be of great Uſe either in *Calculation*, or *Time-keeping*.

Of the Equation of Natural Days.

In Order to the adjuſting of Chronometrical Inſtruments, it is neceſſary to be underſtood, that the Day's of the Year are not all equal, but ſome are longer, ſome ſhorter; ſo that if a Clock was ſo nicely adjuſted, as to agree exactly with the Sun at the years End, as well as it did at the Beginning, yet would it vary at other Times. The Reaſon of which, is partly the *Eccentricity* of the Earth's Orb, by which means its Motion therein is unequal; and partly the Obliquity of the Ecliptick, by which means it comes to paſs

that all Parts of the Ecliptick and Equator come not to the Meridian of any Place at one and the ſame Time; and therefore although we ſhould ſuppoſe the Earth to move equal Arches of the Ecliptick in equal Times all the Year round, yet would it come to the Meridian with unequal Arches of the Equator, by whoſe equal Revolutions the *Equal Time* is meaſured.

In meaſuring therefore of Time by the Sun, there are two Sorts thereof, the *Equal*, wherein all Days are of the ſame Length; and the *Apparent Time*, which is that which is ſhewn by Sun-Dials, *&c.* The Variations of which two Sorts of Time may be ſeen in the following Tables for every Day of the Year nearly enough, although the Tables are run out a few Seconds at this Preſent; which I began to correct, but found the Errour ſo little, that I thought it not worth ſo great Labour to proceed much in it.

For theſe Tables (which I examined by the Originals) the Reader, as well as my ſelf, is obliged to that great Aſtronomer Mr. *Flamſteed*, who was the firſt Man that fully demonſtrated and cleared this Inequality of Natural Days, and brought it to a certainty, although others, even *Ptolemy* himſelf had a partial Notion of it.

Theſe

A TABL 736, *being Leap-Year.*

1736	*Jan.* M	S	*Feb.* M	S	*Mar.* S	*Octob.* M	S	*Nov.* M	S	*Dec.* M	S	1736
1	8	46	14	49	04	13	34	15	30	5	34	1
2	9	09	14	48	25	13	48	15	21	5	05	2
3	9	32	14	46	45	14	01	15	11	4	36	3
4	9	54	14	44	06	14	14	15	00	4	06	4
5	10	15	14	41	27	14	26	14	48	3	36	5
6	10	36	14	37	48	14	38	14	36	3	06	6
7	10	56	14	33	09	14	49	14	23	2	36	7
8	11	15	14	27	30	14	59	14	09	2	06	8
9	11	33	14	21	51	15	09	13	54	1	36	9
10	11	50	14	14	12	15	19	13	39	1	06	10
11	12	07	14	06	33	15	28	13	23	0	36	11
12	12	23	13	57	54	15	36	13	06	0	06	12
13	12	38	13	48	14	15	43	12	48	F	24	13
14	12	52	13	38	34	15	49	12	29	0	54	14
15	13	06	13	28	54	15	55	12	09	1	24	15
16	13	19	13	18	14	16	00	11	49	1	53	16
17	13	31	13	08	34	16	04	11	28	2	22	17
18	13	42	12	57	54	16	07	11	07	2	51	18
19	13	52	12	45	14	16	09	10	45	3	20	19
20	14	01	12	33	33	16	10	10	22	3	49	20
21	14	10	12	20	51	16	11	9	58	4	18	21
22	14	18	12	06	09	16	12	9	34	4	46	22
23	14	25	11	52	27	16	12	9	09	5	14	23
24	14	31	11	37	44	16	11	8	43	5	41	24
25	14	36	11	22	01	16	09	8	17	5	08	25
26	14	40	11	07	18	16	06	7	51	6	35	26
27	14	44	10	51	34	16	02	7	25	7	02	27
28	14	49	10	36	50	15	57	6	58	7	28	28
29	14	49	10	18	05	15	51	6	30	7	53	29
30	14	50			20	15	45	6	02	8	17	30
31	14	50				15	38			8	40	31

Fast. Clock too Slow. Clock too Fast. Clock too Slow. Clock too Fast. Clock too Slow. Clock too Fast. Clock too

TABLE of the Duration of

| Days | | |

A TABLE *being the Third Year*

1735	*Jan.* M	S	*Feb.* M	S	*Octob.* M	S	*Nov.* M	S	*Dec.* M	S	1735
1	8	52	14	0	13	23	15	36	5	54	1
2	9	15	14	1	13	38	15	28	5	25	2
3	9	37	14	2	13	52	15	19	4	56	3
4	9	59	14	3	14	05	15	08	4	27	4
5	10	20	14	4	14	18	14	57	3	58	5
6	10	41	14	5	14	30	14	45	3	29	6
7	11	00	14	5	14	41	14	32	2	59	7
8	11	18	14	6	14	52	14	19	2	29	8
9	11	36	14	7	15	02	14	05	1	59	9
10	11	53	14	8	15	12	13	50	1	29	10
11	12	10	14	9	15	21	13	34	0	59	11
12	12	26	13	0	15	29	13	17	0	29	12
13	12	41	13	0	15	37	13	00	Fast	01	13
14	12	55	13	0	15	44	12	42	Clock	31	14
15	13	08	13	0	15	50	12	23	1	02	15
16	13	21	13	0	15	55	12	04	1	32	16
17	13	32	13	0	16	00	11	44	2	01	17
18	13	43	12	50	16	04	11	23	2	32	18
19	13	53	12	39	16	07	11	01	3	01	19
20	14	02	12	28	16	09	10	38	3	30	20
21	14	10	12	17	16	11	10	15	3	59	21
22	14	18	12	05	16	12	9	51	4	28	22
23	14	25	11	53	16	12	9	27	4	56	23
24	14	31	11	41	16	11	9	02	5	23	24
25	14	36	11	29	16	09	8	36	5	50	25
26	14	40	11	16	16	07	8	10	6	17	26
27	14	43	10	02	16	04	7	44	6	43	27
28	14	45	10	48	16	00	7	17	7	09	28
29	14	47			15	55	6	50	7	34	29
30	14	48			15	49	6	20	7	59	30
31	14	49			15	43			8	20	31

Fast too Clock

Slow. too

Fast too Clock

| | | |

A TABL[E] *being the first Year after*

1733	Jan. M	Jan. S	M	S	Octob. M	Octob. S	Nov. M	Nov. S	Dec. M	Dec. S	1733
1	9	03	19	59	13	30	15	32	5	41	1
2	9	26	20	13	44	15	23	5	12	2
3	9	48	21	13	58	15	13	4	43	3
4	10	09	22	14	11	15	02	4	14	4
5	10	30	23	14	23	14	51	3	44	5
6	10	50	24	14	35	14	39	3	14	6
7	11	09	25	14	47	14	26	2	44	7
8	11	27	26	14	58	14	12	2	14	8
9	11	45	27	15	08	13	58	1	44	9
10	12	02	28	15	18	13	43	1	14	10
11	12	18	28	15	27	13	26	0	44	11
12	12	34	28	15	35	13	09	0	14	12
13	12	48	29	15	42	12	52	F	17	13
14	13	02	29	15	48	12	33	0	47	14
15	13	15	29	15	53	12	14	1	17	15
16	13	27	29	15	58	11	54	1	47	16
17	13	38	29	16	02	11	33	2	17	17
18	13	48	29	16	06	11	12	2	47	18
19	13	58	29	16	09	10	50	3	16	19
20	14	07	28	16	11	10	28	3	48	20
21	14	15	25	16	12	10	05	4	14	21
22	14	22	25	16	13	9	40	4	42	22
23	14	28	23	16	12	9	15	5	09	23
24	14	33	21	16	11	8	50	5	36	24
25	14	38	18	16	09	8	24	6	03	25
26	14	42	15	16	07	7	58	6	30	26
27	14	45	11	16	04	7	32	6	57	27
28	14	47	06	15	59	7	05	7	23	28
29	14	48	01	15	53	6	38	7	48	29
30	14	49		15	47	6	10	8	12	30
31	14	48		15	40			8	30	31

Fast. / Slow. / too / Clock

A TABLE of ... the Second Year

1734	Jan. M	Jan. S	Feb. M	Feb. S		Nov. M	Nov. S	Dec. M	Dec. S	1734
1	8	58	14	48	S	15	34	5	48	1
2	9	21	14	47	7	15	26	5	19	2
3	9	43	14	45	0	15	16	4	50	3
4	10	05	14	42	5	15	05	4	21	4
5	10	26	14	38	8	14	54	3	51	5
6	10	45	14	33	0	14	42	3	21	6
7	11	04	14	28	2	14	30	2	51	7
8	11	Fast. 22	14	Fast. 22	3	14	Slow. 16	2	21	8
9	11	40	14	16	3	14	01	1	too 51	9
10	11	57	14	09	3	13	46	1	21	10
11	12	14	14	01	2	13	30	0	51	11
12	12	30	13	52	1	13	13	0	21	12
13	12	44	13	43	9	12	55	F	09	13
14	12	58	13	34	5	12	37	0	Clock 39	14
15	13	11	13	24	1	12	18	1	09	15
16	13	23	13	13	0	11	59	1	39	16
17	13	35	13	02	0	11	39	2	09	17
18	13	too 46	12	too 50	4	11	too 18	2	38	18
19	13	56	12	37	7	10	56	3	07	19
20	14	05	12	25	9	10	33	3	36	20
21	14	13	12	12	1	10	10	4	05	21
22	14	20	11	58	3	9	46	4	34	22
23	14	26	11	43	2	9	21	5	Fast. 02	23
24	14	32	11	28	1	8	56	5	too 29	24
25	14	37	11	13	9	8	30	5	56	25
26	14	41	10	58	6	8	04	6	23	26
27	14	Clock 44	10	Clock 42	3	7	Clock 38	6	50	27
28	14	46	10	25	9	7	11	7	16	28
29	14	48			4	6	44	7	Clock 41	29
30	14	49			8	6	16	8	05	30
31	14	49			1			8	29	31

Theſe Tables need but little Explication. If you would keep your Watch to the *Middle* or *Equal Motion* of the Sun, it muſt go ſo many Minutes and Seconds faſter or ſlower than the Sun-Dial, as the Tables ſhew. But if you would keep your Watch to go by the Sun-Dial; you may conclude it goes well, if it looſeth or gaineth every Day, ſo many Seconds as you will find in the Table. Thus (for Example) *Jan.* 1. in *Leap-year*, the Watch ought to be 8 min. 47 Sec. faſter than the Sun-Dial: on *Jan.* 2. it ought to be 9′ 10″, *&c.* If you would know on the ſame Days, whether your Watch goes well, when kept to go by the Sun-Dial if ſet on *Jan.* 1. it hath gained on *Jan.* 2. as much as 8′ 47″ wanteth of 9′ 10″. *viz.* 23″ you may conclude your Watch goes well. Otherwiſe you muſt ſcrew up, or let down the *Ball* or *Corrector*, until it loſeth, or gaineth according to the Equation Tables.

The Tables will ſerve for many Years, being made for *Biſſextile*, and the 3 Years following. Therefore, knowing the Year, you may find what Table you are to uſe all that Year, whether Leap-year, or any after it.

By Reaſon of the Refractions, or ſome Errour in the Sun-Dial, it may be convenient to compare, or ſet your Watch

Watch at ſome certain Hour of the Day. Noon is a good Time for it, if you have a nice *Meridian-line*, or any Way to ſee when the Sun is exactly South, becauſe the Time of the Day is not at all then varied by the Refractions, in Dials that caſt a Shade.

Having conſidered the Equation of Time, I ſhall next ſhew ſome Ways of finding it. The Way to do it by taking the Altitudes of the Sun, and fixed Stars, I ſhall paſs by, although it be one of the ſureſt Methods, becauſe it would be neceſſary for me to launch out into Trigonometry, *&c.* for it. But I ſhall lay down ſome other Methods that may be ſufficient for the Purpoſe. And the firſt ſhall be

To find a Meridian-Line.

This will be of good Uſe becauſe it may happen that we may be at a Place, where there is no Sun-Dial, or not one to be relied upon; or indeed where we have a good one, it may be very uſeful to have a *Meridian-Line.* For the finding of which there are divers Ways, but I ſhall ſhew only two.

The firſt is, draw one or more Circles on ſome Plain, as on the Bottom of a Southern

Southern Window. (Or you may make the Center on the Southern edge of the Window, and draw only half Circles.) Hang up a Thread and Plumbet exactly over, or in the Center of the Circles. By a Bead or two ſliding up and down the Thread, mark out exactly the Points of the Circles, touched by the Shade of the Beads in ſome of the Morning Hours (the longer before Noon the better.) In the Afternoon when the ſame Shade of the Beads toucheth the Circles, mark that Point, or Points alſo. A line drawn through the Center, and in the Middle, between theſe two Points in the Circle, is the Meridian-line, or nearly ſo.

If you can't hang up a Plumbet, a Pin ſet exactly upright will do the Matter.

Another and better Way, is by the *Pole-Star*, when it is exactly upon the Meridian. Or if but near ſo, the Errour will not be great.

You may find the Time when the Pole-ſtar comes to the Meridian, by ſubſtracting the Suns Right Aſcenſion from the right Aſcenſion of the Pole-Star, and turning the Remainder into Hours, Minutes and Seconds, allowing to every Degree four Minutes of Time, whereby you will have the Apparent Time, when the Pole-Star comes on the Meridian above the Pole. I ſcarce need

to

to obſerve, that the Time when it comes under the Pole is 12 Hours diſtant.

You may ſhorten your Labour by uſing Tables of the Sun's Right Aſcenſion in Time, which you may find in Sir *J. Moor's Mathem. Compendium*, and other Books.

Note, If the *Sun's* R. Aſcenſion exceed the *Pole-Star's* R. A. you muſt add 24 Hours to the Pole-ſtar's R. A. and then ſubſtract. The right Aſcenſion of the Pole-ſtar is determined by Mr *Flamſteed* 0h 33′. 44″ of Time in the Year 1690, and the increaſe of its R. Aſcenſion 1′. 16″ of Time in 10 Years. Therefore this preſent Year 1731 its true R. Aſcenſion is 0h 38′ 55″ of Time.

If the unlearned Reader ſhould think this way difficult, he may ſee when the *Pole-ſtar* comes near the Meridian, by hanging up a Line and Plumbet, and obſerving when the firſt Star in the *Great-Bear's* Tail, next her Rump, comes under the Line on one Side of the Pole, or when the Plumb-line nearly approacheth the Star in *Caſſiopeia's* Knee on the other Side of the Pole.

When the *Pole-ſtar* is found to be on the Meridian, if you hang up two Strings with Plumbets, between the *Pole-ſtar* and your Eye, this will be a *Meridian-line*, to ſee when the Sun comes to the Meridian. Or you may do it with a

Crevis

Crevis between two Boards, or Plates of Metal, almoſt touching one another.

But much the beſt Way which I have yet thought of, and which is exceedingly Nice, is with the Inſtrument, Fig. 3. which is thus made. At each End of a Board, or rather ſmall flat Iron-bar (A. B.) fix two upright Sights: one with a very ſmall Hole (a. b) to look through to the Sun; the other (c. d) with a large Hole, to look at the Pole-ſtar. Not far from the Sights, on the ſame Bar, fix two Arms (C.D, C.D) to bend off, ſo as to be out of the Way of the Sights, when you look through them. On the Top of theſe Arms, place a ſmall Rod of Iron or Wood, to turn with a joint at D. which Rod is to bear the Plumb-lines (E. F.) and to turn backward and forward, ſo as to bring the Plumb-lines to the Sights at any Time. Place this Inſtrument on a Pedeſtal (G. H.) to turn round on it ſtiffly.

Your Inſtrument being thus prepar'd, Plant it in ſome convenient Place, where you may ſee the Pole-ſtar, by Night, and the Sun by Day. When the Pole-ſtar is on the Meridian, look thro' the Sight with the bigger Hole, and turn the Whole Inſtrument about until you ſee the oppoſite Plumb-line interſect the Pole-ſtar. Take care at the ſame Time, that the Plumb-lines hang ſo as

to

to interſect the Sights. Your Inſtrument, thus placed, ſtandeth nicely on the Meridian, ſo as to ſee when either Sun, Moon or Stars come thereon.

When you look by Night, it is neceſſary that a Candle ſhould ſhine on the Plumb-line, that you may ſee it.

If you look at the Sun, you muſt guard your Eye againſt the Sun-beams with a coloured Glaſs, or one blackened with the ſmoke of a Candle.

I had almoſt forgotten, to ſay that it Matters not much what Length the Bottom-piece, A. B. is of (but the longer the better) provided that the Plumb-lines are high enough to ſee the Pole-ſtar, and the Sun in the Summer Solſtice, or any time of the Year. If the Bottom-piece be 2 Feet long, the Plumb-lines had need to be near 4 Feet.

This Inſtrument is very ſerviceable to ſeveral Purpoſes; particularly 1. To ſee the *Southing* of the Sun, or Moon: which you may do with great exactneſs. You may ſee nicely when the very edge of the Sun or Moon toucheth the Meridian, and whilſt all their Body is paſſing it.

2. You may ſee what Stars are, at any Time, on the Meridian, either Northward or Southward, and ſo find the Hour of the Night. To do which when any Star is on the Meridian, Subſtract

tract the Right Aſcenſion of the Sun from the R. Aſc. of the Star, the Remainder is the Hour of the Night, when turned into Time.

3. You may with all exactneſs continue your Meridian-line for many Miles, if you pleaſe, by looking through either Sight, and ſeeing what Objects the Plumb-lines interſect.

4. If you would be ſtill more nice, you may apply a *Teleſcope* to this *Meridian Inſtrument*, by placing, for the Eye-glaſs, a convex Glaſs, of a convenient *Focus*, at a due Diſtance between the Plumb-line and either Sight, ſo as thro' the Sight to ſee the Plumb-line through the Convex glaſs (or Eye-glaſs.) And at a convenient Diſtance from the Inſtrument, place another Convex-glaſs for the Object-glaſs.

5. If I am not much miſtaken this *Meridian Inſtrument* may as well (and being made Teleſcopulous) much better ſerve the Deſign of trying whether the Meridian differeth or not; which ſome have experimented with more Trouble and Expence than this Inſtruments comes to.

6. This Inſtrument is very eaſily brought to the Meridian. For whether it ſtands upright, aſide, or any other way, ſtill the Plumb-lines may be brought eaſily to their due Place.

7. This Inſtrument is prepared with little Coſt or Trouble; it may be carried from Place to Place; or imitated where-ever there is Occaſion to correct either Sun-Dial or Watch.

This Inſtrument may be found improved by Mr. *Derham* in the *Philoſoph. Tranſ.* Nr. 291, together with a Cut ſhewing when the Pole-ſtar comes to the Meridian.

I would preſent the unskilful Reader with a Table of the Appulſes of the Pole-ſtar to the Meridian; but it will hold for ſo little a Time true, that it is not worth the while.

The Way to govern a Clock by the Fixed Stars.

Monſ. la Hire in his *Tabulæ Aſtron.* hath given us two Tables of the Difference between the Solar and Sydereal Day. The latter and moſt correct of which is this following.

A TABLE

A TABLE ſhewing how much the Solar is longer than the Sydereal Day.

Re.	M	S	T	Re.	H	M	S	T
1	3.	55.	53	16	1.	2.	54.	11
2	7.	51.	46	17	1.	6.	50.	4
3	11.	47.	40	18	1.	10.	45.	58
4	15.	43.	33	19	1.	14.	41.	51
5	19.	39.	26	20	1.	18.	37.	44
6	23.	35.	19	21	1.	22.	33.	37
7	27.	31.	12	22	1.	26.	29.	30
8	31.	27.	6	23	1.	30.	25.	24
9	35.	22.	59	24	1.	34.	21.	17
10	39.	18.	52	25	1.	38.	17.	10
11	43.	14.	45	26	1.	42.	18.	3
12	47.	10.	38	27	1.	46.	8.	56
13	51.	6.	32	28	1.	50.	4.	50
14	55.	2.	25	29	1.	54.	0.	43
15	58.	58.	18	30	1.	57.	56.	36

Explanation of the Table.

This Table ſhews how much the Sidereal goeth faſter than the Solar Day, in any Number of Nights for a Month: So that obſerving by your Watch the nice Time when any fixed Star cometh to the Meridian, or any other Point of the Heavens: if after one Revolution of that ſame Star to the ſame Point, your Watch goeth 3′ 56″ ſlower

than the Star; or after two Nights 7', 51"; or 16 Nights, 1 Hour 2'. 54", &c. then doth your Watch keep Time rightly with the mean Motion of the Sun. If it varieth from the Table, you muſt alter the Length of your Pendulum to make it ſo keep Time.

For obſerving the Time when the Star cometh again to the ſame Point of the Heavens, you may make Uſe of your Meridian Inſtrument laſt deſcribed; or if you would be more exact and nice, you may make Uſe of a Teleſcope, ſuch as is uſed for the Sights of Quadrants, &c. which conſiſts commonly of an Object, and an Eye-glaſs, with Croſs-hairs in the common Focus of both Glaſſes. Having obſerved with this Teleſcope the Tranſit of any fixed Star Croſs the Hairs, leave the Teleſcope in that Poſition until as many Revolutions of the Star are paſt, as you are minded to take Notice of.

Of the Time of the Day ſhewn by Sun-Dials.

Foraſmuch as by the Refractions the Sun appears higher than really he is, therefore all the Sun-Dials which ſhew the Hour by the Sun's Height, go not exactly true. The Quantity of which is ſhewn in this Table.

A TABLE

A TABLE shewing the Variations made in the true Hour of the Day, by the Refraction of the Sun in the Equator, and both the Solstices.

Sun's Altitude Deg.	Sun's Refraction.	Variation at the N. Solstice.	Variation at the Equator.	Variation at the S. Solstice.
	′ ″	′ ″	′ ″	′ ″
0	33.00	4 34	3 32	4 38
1	23.00	2 34	2 28	3 19
2	17.00	2 24	1 49	2 31
3	13.30	1 46	1 27	2 3
4	11.30	1 29	1 12	1 40
5	9.30	1 12	1 1	1 33
6	7.30	0 56	0 49	1 17
7	7.00	0 52	0 44	1 16
8	6.00	0 43	0 39	1 8
9	5.00	0 36	0 34	1 2
10	4.40	0 25	0 29	1 2

Remarks upon the Table.

The Refractions, although in the Table they are the same, yet do differ at different Seasons of the Year, nay perhaps, according to the different Temperature of the Air sometimes, in the same Day. Thus Mr. *Flamsteed* found the Refractions in *February* very different from those in *April:* and it is observed, that the Refractions are commonly greater, when

the *Mercury* is higher in the Barometer.

The Table therefore doth not ſhew what the Refractions always are, but only about the middle Quantity of them at every Degree, of the 10 firſt of the Sun's Altitude. And accordingly I have calculated the Variations thereby made in the Hour of the Day.

Theſe Variations of the Hour are greater or leſſer, according as the Angle of the Sun's diurnal Motion is Acuter with the Horizon. The Reaſon is plain; becauſe as the Sun appears by Refraction higher than really he is; ſo that falſe Height doth affect the Hours in Winter, more than the Summer half Year.

There is no Ray indeed of the Sun, but what cometh refracted to a Sundial, and conſequently, there is no Dial but what goeth more or leſs falſe (except at Noon in Dials that caſt a Shade, where the Refraction makes no Variation.) But the Refraction decreaſeth apace, as the Sun gets higher, and cauſeth a Variation of not above half a Minute at 10 Degrees of the Sun's Altitude; except when the Sun is in, or near the Southern Tropick. Nearer than half a Minute, few common Sundials ſhew the Time. And therefore I have calculated my Table to only 10 Degrees.

The

The Table needs little Explication. For having the Sun's Height, you have against it, in the next Column, the Refraction: and in the 3 next the Alterations of the Hour, at 3 Times of the Year. Taking therefore by a Quadrant the Sun's Altitude, and observing at the same Time, the Hour of the Day by a Sun-dial; by the Table, you see how many Minutes, and Seconds, the Dial is too fast, or too slow. As at the Sun-rising a Sun-dial is too fast, or too slow, 4′. 34″, about *June* 11, and 3′. 32″, about *Mar.* 10. and *Sept.* 12, and 4′, 38″, about *Dec.* 11.

A Table of the Parts of Time.

Since in Calculation there is frequent Occasion to make Use of the Parts of Time, I have added the following Table, which at one View exhibits the Parts of Time, without any troublesome Operations of Reduction.

Seconds.	Minutes	Hours	Day	Week	Month	Year
60						
3600	60					
86400	1440	24				
604800	10080	168	7			
2592000	43200	720	30	4		
31556940	525949	8765	365¼	52		

This

This Table is eaſily underſtood. For in the Concurrence of the Squares is the Quantity of the Time ſet over, or againſt each Square. As for Example; in a Minute are 60 Seconds: in an Hour are 60 Minutes, and 3600 Seconds: in a Year are 2355 &c. Seconds, 525, &c. Minutes, &c. So that if we would readily ſee what Number of Seconds are in a Year (for Inſtance) under *Seconds*, and againſt *Year*, is the Number ſought. And ſo of the Reſt.

But here it is to be noted that the Seconds, Minutes, and Hours in an Year are the true Numbers, according to the before commended Mr. *Flamſteed's* Determination of the Length of the Year, *viz.* That the Year is 365 Days 5 Hours 49 Minutes, and no Seconds.

If you would know any Number, where an odd Number is to be added, as the Seconds in a Month and one Day, add the Seconds in a Month, and the Seconds in a Day together, and the Sum is the Number ſought, which is 2678400. And ſo for the Reſt.

The E N D.